

WRENCH/SCREWDRIVER

PARD®

series

PARD products speak for themselves.

Sometimes a product will say more about a business than any other promotional material. In some cases, the colour, the finish or simply the overall look and feel of this product will strike you as unique or different, from a different level of manufacturing.

Pard products belong to this category of products; they turn heads, attract the knowledgeable eye and speak volumes of the brand's commitment to high standards of manufacturing. In fact, we shouldn't really need to be telling you this. If you are reading this, you have probably already been charmed by one of Pard's products. Need we say any more?

Wrench & Screwdriver

- 1.General Hand Tools and Accessories
- 2.Auto Repair Tools and Accessories
- 3.Including screwdrivers, Jeweler screwdrivers, wrenches and sets.

Features of the Products

Pard's wrench and Screwdriver, series benefit an attractive colour printed finish. This cosmetic make-over is not superficial. The colour code helps the worker find the right tool with the right size immediately. Ideal for the general hand tool and auto repair business, Pard's wrenches and screwdrivers are built to last. Products come individual requirements. Each item that bares the Pard trademark has been designed, developed and manufactured to International quality standards.


Application

General Hand Tools
General Auto Repair Hand Tools



Features of the Products

Special printing finish to make the products more noticeable.
Two colour print on product surface to differentiate tool sizes.



Contents

- Screwdrivers _____
- Jeweler Screwdrivers _____
- Wrenches _____
- Allen Keys _____
- Wrench Sets _____

WRENCH

series

PARD®



5051 5 pcs Angle Socket Wrench Set

PARD NO.	(g)	
5051	1220	12

Contents:

C753 10 ... 17		5 - Angle Wrench 12pt. - 6pt.
	Size (mm)	10;11; 13; 14; 17



C5062 6 pcs 75° Offset Ring Wrench Set

PARD NO.	(g)	
C5062	1260	12

Contents:

C759 1011 ... 2224		6 - 75° Offset Ring Wrench
	Size (mm)	10×11; 12×13; 14×15; 16×17; 18×19; 22×24



C5066 6 pcs Hinged Socket Wrench Set

PARD NO.	(g)	
C5066	1916	12

Contents:

C752 0809 ... 1819		6 - Hinged Socket Wrench
	Size (mm)	8×9; 10×11; 12×13; 14×15; 16×17; 18×19



C50610 6 pcs S-Form Ring Wrench Set

PARD NO.	(g)	
C50610	1046	12

Contents:

C762 1012 ... 2224		6 - S-Form Ring Wrench
	Size (mm)	10×12; 11×13; 14×15; 16×18; 17×19; 22×24



C5061 6 pcs 45° Offset Ring Wrench Set

PARD NO.	(g)	
C5061	1300	12

Contents:

C758 1012 ... 2224		6 - 45° Offset Ring Wrench
	Size (mm)	10×12; 12×14; 14×17; 17×19; 19×21; 22×24



C5063 6 pcs Extra Long Flat Ring Wrench Set

PARD NO.	(g)	
C5063	1815	12

Contents:

C760 1012 ... 1719		6 - Extra Long Flat Ring Wrench
	Size (mm)	10×12; 12×14; 13×15; 14×17; 16×18; 17×19



C5069 6 pcs Star Wrench Set

PARD NO.	(g)	
C5069	574	12

Contents:

C756 0608 ... 2024		6 - Star Wrench
	Star	E6×E8; E7×E11; E10×E12; E14×E18; E16×E22; E20×E24



C50721 7 pcs Extra Long Flat Ring Wrench Set

PARD NO.	(g)	
C50721	1995	12

Contents:

C760 0810 ... 1719		7 - Extra Long Flat Ring Wrench
	Size (mm)	8×10; 10×12; 12×14; 13×15; 14×17; 16×18; 17×19

WRENCH

series

PARD®



C5071 7 pcs Combination Wrench Set

PARD NO.	(g)	
C5071	1018	12

Contents:

C755 10 ... 22		7 - Combination Wrench
	Size (mm)	10; 12; 13; 14; 17; 19; 22



50733 7 pcs Double Ended Socket Wrench Set

PARD NO.	(g)	
50733	700	24

Contents:

750A 0607 ... 1819		7 - Double Ended Socket Wrench
	Size (mm)	6x7 ; 8x9 ; 10x11; 12x13; 14x15; 16x17; 18x19



5084 8 pcs Angle Wrench Set

PARD NO.	(g)	
5084	1720	12

Contents:

753 08 ... 19		8 - Angle Wrench 12pt. - 6pt.
	Size (mm)	8 ; 10 ; 11 ; 12 ; 13 ; 14 ; 17 ; 19



50817 8 pcs Angle Box Wrench Set

PARD NO.	(g)	
50817	1690	12

Contents:

753B 08 ... 24		8 - Angle Box Wrench
	Size (mm)	8; 10; 11; 13; 17; 19; 22 ; 24



C5073 7 pcs Midget Combination Wrench Set

PARD NO.	(g)	
C5073	610	12

Contents:

C755 S10 ... S19		7 - Midget Combination Wrench
	Size (mm)	10; 12; 13; 14; 15; 17; 19



C5081 8 pcs Double Open End Wrench Set

PARD NO.	(g)	
C5081	855	4

Contents:

C754 0607 ... 2022		8 - Double Open End Wrench
	Size (mm)	6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22



C5085 8 pcs 75° Offset Ring Wrench Set

PARD NO.	(g)	
C5085	1200	12

Contents:

C759 0607... 2123		8 - 75° Offset Ring Wrench
	Size (mm)	6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 21x23



C5091 9 pcs 75° Combination Wrench Set

PARD NO.	(g)	
C5091	1020	12

Contents:

C755 08A... 19A		9 - 75° Combination Wrench
	Size (mm)	8; 10; 11; 12; 13; 14; 15; 17; 19

WRENCH

series

PARD®



C5111 11 pcs Double Open End Wrench Set

PARD NO.	(g)	
C5111	1995	12

Contents:

C754 0607... 3032		11 - Double Open End Wrench
Size (mm)		6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×27; 30×32



C5113 11 pcs MIT 15° Combination Wrench Set

PARD NO.	(g)	
C5113	1270	12

Contents:

C791 08 ... 19		11 - MIT 15° Combination Wrench
Size (mm)		8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 19
Size (inch)		5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 3/4
Star		E10; E11; E12; E14; E16; E18; E20; E24



C5121P 12 pcs Double Open End Wrench Set

PARD NO.	(g)	
C5121P	1800	1 / 12

Contents:

C754 0607... 3032		12 - Double Open End Wrench
Size (mm)		6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×27; 25×28; 30×32



C5128 12 pcs 75° Offset Ring Wrench Set

PARD NO.	(g)	
C5128	1800	1 / 12

Contents:

C759 0607... 3032		12 - 75° Offset Ring Wrench
Size (mm)		6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×27; 25×28; 30×32



C5112 11 pcs Combination Wrench Set

PARD NO.	(g)	
C5112	1350	12

Contents:

C755 08 ... 22		11 - Combination Wrench
Size (mm)		8; 10; 11; 12; 13; 14; 15; 17; 19; 21; 22



C5114 11 pcs MIT 45° Combination Wrench Set

PARD NO.	(g)	
C5114	1020	12

Contents:

C792 08 ... 19		11 - MIT 45° Combination Wrench
Size (mm)		8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 19
Size (inch)		5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 3/4
Star		E10; E11; E12; E14; E16; E18; E20; E24



5127 12 pcs Angle Wrench Set

PARD NO.	(g)	
5127	1800	12

Contents:

753 08... 24		12 - Angle Wrench 12pt. - 6pt.
Size (mm)		8; 10; 11; 12; 13; 14; 16; 17; 18; 19; 22; 24



C5129 12 pcs MIT 75° Offset Ring Wrench Set

PARD NO.	(g)	
C5129	2000	10

Contents:

C793 0607 ... 3032		12 - MIT 75° Offset Ring Wrench
Size (mm)		6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×27; 25×28; 30×32
Size (inch)		9/32; 5/16x11/32; 3/8x7/16; 15/32x1/2; 9/16x19/32; 5/8; 11/16x3/4; 25/32x7/8; 13/16x29/32; 15/16x1-1/16; 1-3/32; 1-3/16x1-1/4
Star		E8; E10x11; E12x14; E16; E18; E20; E22x24; E28; E26x E28; E30x34; E32x36; E38x40

Pard products speak for themselves.

A different level of manufacturing quality.

WRENCH

series

PARD®



C51214 12 pcs Combination Wrench Set

PARD NO.	(g)	
C51214	1406	12

Contents:

C755 06 ... 24	12 - Combination Wrench
Size (mm)	6; 8; 9; 10; 11; 12; 13; 14; 17; 19; 22; 24



C51216 12 pcs Combination Wrench Set

PARD NO.	(g)	
C51216	1160	12

Contents:

C755 06 ... 22	12 - Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 17; 19; 22



C51222 12 pcs MIT Combination Wrench Set

PARD NO.	(g)	
C51222	2604	6

Contents:

C791 06 ... 32	12- MIT Combination Wrench
Size (mm)	6; 8; 10; 12; 14; 17; 19; 22; 24; 27; 30; 32
Size (inch)	5/16; 3/8; 15/32; 9/16; 21/32; 3/4; 7/8; 15/16; 1-1/16; 1-3/16; 1-1/4
Star	E8; E10; E12; E18; E24; E28; E30; E34; E38; E40



C5134S 13 pcs Combination Wrench Set

PARD NO.	(g)	
C5134S	1932	12

Contents:

C755 1.4 ... 1.0	13 - Combination Wrench
Size (inch)	1/4; 5/16; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1"



C51215 12 pcs 45° Offset Ring Wrench Set

PARD NO.	(g)	
C51215	3920	6

Contents:

C758 0607 ... 3032	12 - 45° Offset Ring Wrench
Size (mm)	6×7; 8×9; 10×11; 12×13; 14×15; 16×17; 18×19; 20×22; 21×23; 24×27; 25×28; 30×32



C51217 12 pcs Quick Opened Combination Wrench Set

PARD NO.	(g)	
C51217	1152	12

Contents:

C755 08Q ... 19Q	12 - Quick Opened Combination Wrench
Size (mm)	8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19



C5134 13 pcs Combination Wrench Set

PARD NO.	(g)	
C5134	1213	12

Contents:

C755 06 ... 22	13 - Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 17; 19; 22



C5135 13 pcs 75° Combination Wrench Set

PARD NO.	(g)	
C5135	1471	12

Contents:

C755 06A ... 22A	13 - 75° Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 17; 19; 22

WRENCH

series

PARD®



C5136 13 pcs MIT 15° Combination Wrench Set

PARD NO.	(g)	
C5136	1063	12

Contents:

C791 06 ... 19	13 - 15° Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 19
Size (inch)	9/32; 5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 3/4
Star	E8; E10; E11; E12; E14; E16; E18; E20; E24



51312 13 pcs Double Ended Socket Wrench Set

PARD NO.	(g)	
51312	2920	6

Contents:

750A 0607 ... 3032	13 - Double Ended Socket Wrench
Size (mm)	6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 27x29; 30x32



C5141S 14 pcs Combination Wrench Set

PARD NO.	(g)	
C5141S	2200	6

Contents:

C7555. 16 ... 1.1.4	14 - Combination Wrench
Size (inch)	5/16; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1; 1-1/8; 1-1/4



C5163 16 pcs Combination Wrench Set

PARD NO.	(g)	
C5163	3215	6

Contents:

C755 06 ... 32	16 - Combination Wrench
Size (mm)	6; 8; 10; 11; 12; 13; 14; 15; 17; 19; 21; 22; 24; 27; 30; 32



C5137 13 pcs MIT 45° Combination Wrench Set

PARD NO.	(g)	
C5137	1150	12

Contents:

C792 06 ... 19	13 - 45° Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 19



C5141 14 pcs Combination Wrench Set

PARD NO.	(g)	
C5141	2200	6

Contents:

C755 10 ... 32	14 - Combination Wrench
Size (mm)	10; 11; 12; 13; 14; 17; 19; 21; 22; 23; 24; 27; 30; 32



51611 16 pcs Angle Box Wrench Set

PARD NO.	(g)	
51611	3000	6

Contents:

753B 06 ... 24	16 - Angle Box Wrench
Size (mm)	6; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24



C5191 19 pcs Combination Wrench Set

PARD NO.	(g)	
C5191	2640	6

Contents:

C755 06 ... 24	19 - Combination Wrench
Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24

WRENCH

series

PARD®



C5193 19 pcs MIT Combination Wrench Set

PARD NO.	(g)	
C5193	2700	6

Contents:		
C791 06 ...26		19- MIT Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 23; 24; 26
	Size (inch)	9/32; 5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 11/16; 3/4; 13/16; 7/8; 29/32; 15/16; 1
	Star	E8; E10; E11; E12; E14; E16; E18; E20; E24; E26; E28; E30; E32



C5194 19 pcs MIT 45° Combination Wrench Set

PARD NO.	(g)	
C5194	2900	6

Contents:		
C792 06 ...26		19- MIT 45° Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 23; 24; 26
	Size (inch)	9/32; 5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 11/16; 3/4; 13/16; 7/8; 29/32; 15/16; 1
	Star	E8; E10; E11; E12; E14; E16; E18; E20; E24; E26; E28; E30; E32



C5262 26 pcs MIT Combination Wrench Set

PARD NO.	(g)	
C5262	5830	4

Contents:		
C791 06... 32		26 - MIT Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32
	Size (inch)	9/32; 5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 11/16; 3/4; 25/32; 13/16; 7/8; 29/32; 15/16; 31/32; 1" ; 1-1/16; 1-3/32; 1-1/8; 1-3/16; 1-1/4
	Star	E8; E10; E11; E12; E14; E16; E18; E20; E22; E24; E26; E28; E30; E32; E34; E36; E38; E40



C5263 26 pcs MIT 45° Combination Wrench Set

PARD NO.	(g)	
C5263	5850	4

Contents:		
C792 06... 32		26 - MIT 45° Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32
	Size (inch)	9/32; 5/16; 11/32; 3/8; 7/16; 15/32; 1/2; 9/16; 19/32; 5/8; 21/32; 11/16; 3/4; 25/32; 13/16; 7/8; 29/32; 15/16; 31/32; 1" ; 1-1/16; 1-3/32; 1-1/8; 1-3/16; 1-1/4
	Star	E8; E10; E11; E12; E14; E16; E18; E20; E22; E24; E26; E28; E30; E32; E34; E36; E38; E40



C5192 19 pcs 75° Combination Wrench Set

PARD NO.	(g)	
C5192	2640	12

Contents:		
C755 06A ... 24A		19 - 75° Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24



C5261 26 pcs Combination Wrench Set

PARD NO.	(g)	
C5261	5220	4

Contents:		
C755 06 ... 32		26 - Combination Wrench
	Size (mm)	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32

WRENCH/SCREWDRIVER

PARD®

series



C5265 26 pcs 75° Combination Wrench Set

PARD NO.	(g)	
C5265	5300	4

Contents:

C755 06A ... 32A		26 - 75° Combination Wrench
Size (mm)		6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32



5266 26 pcs Angle Wrench Set

PARD NO.	(g)	
5266	5300	12

Contents:

753 06 ... 32		26 - Angle Wrench
Size (mm)		6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32



5057 5 pcs Hex Screwdriver Set (For Remote Control Aircraft & Vehicles)

PARD NO.			(g)	
5057	70mm	105mm	51	12 / 72

Contents:

	4 - Hex Bit
Size (mm)	1.5; 2; 2.5; 3
	1 - Handle
Material: HSS / HRC: 61°~63°	



5058 5 pcs Hex Screwdriver Set (For Remote Control Aircraft & Vehicles)

PARD NO.			(g)	
5058	75~92mm	116mm	99	12 / 72

Contents:

	4 - Hex Bit
Size (mm)	1.5; 2; 2.5; 3
	1 - Handle
Material: HSS / HRC: 61°~63°	



50734 7 pcs Screwdriver Set (For Remote Control Aircraft & Vehicles)

PARD NO.			(g)	
50734	100mm	118mm	112	12 / 72

Contents:

4 - Hex Bit
1.5x2.5; 2x3; 0.05"x5/64"; 1/16"x3/32"
2 - Phillips x Slotted Bit
00x 1.5; 0x 2.5
1 - Handle



5064 6 pcs Hex Jeweler Screwdriver Set

PARD NO.	(g)	
5064	280	40

Contents:

6 - Hex Jeweler Screwdriver		
73407502 ... 03		2.0; 2.5; 3 mm (75mmL)
7340400.05		0.05" (40mmL)
7340401.16		1/16" (40mmL)
7340753.32		3/32" (75mmL)



5065 6 pcs Hex Jeweler Screwdriver Set

PARD NO.	(g)	
5065	280	40

Contents:

6 - Hex Jeweler Screwdriver		
734040009 ... 015		0.9; 1.3; 1.5 mm (40mmL)
734075 02 ... 03		2.0; 2.5; 3.0 mm (75mmL)



5082 8 pcs Jeweler Screwdriver Set

PARD NO.	(g)	
5082	310	40

Contents:

733040012 ... 25		5 - Slotted Jeweler Screwdriver
		1.2; 1.5; 1.8; 2; 2.5 mm (40mmL)
73140 000 ... 0		3 - Phillips Jeweler Screwdriver
		PH.000; PH.00; PH.0 (40mmL)



5083 8 pcs Star Jeweler Screwdriver Set

PARD NO.	(g)	
5083	310	40

Contents:

8 - Star Jeweler Screwdriver		
736040 05 ... 08		T5; T6; T7; T8 (40mmL)
736075 09 ... 20		T9; T10; T15; T20 (75mmL)

SCREWDRIVER

series

PARD®



5083T

8 pcs Star Tamperproof Jeweler Screwdriver Set

PARD NO.	(g)	
5083T	310	40

Contents:

8 - Star Tamperproof Jeweler Screwdriver

73704005 ... 08			T-5H; T-6H; T-7H; T-8H (40 mmL)
73707509 ... 20			T-9H; T-10H; T-15H; T-20H (75 mmL)



5088

Star Key Combination Wing Driver

PARD NO.	(g)	
5088	308	60

Contents:

8 - Star Key Wingdriver

71608W ... 71630W	T8; T9; T10; T15; T20
	T25; T27; T30



5095T

9 pcs Star Tamperproof Grip Key Set

PARD NO.	(kg)	
5095T	1.1	10

Contents:

9 - Star Tamperproof Grip Key

767 10G ... 50G	T10×T10H; T15×T15H; T20×T20H; T25×T25H; T27×T27H; T30×T30H; T40×T40H; T45×T45H; T50×T50H
-----------------	--



5113

11 pcs Jeweler Screwdriver Set

PARD NO.	(g)	
5113	660	26

Contents:

733040012 ... 025			5 - Slotted Jeweler Screwdriver 1.2; 1.5; 1.8; 2.0; 2.5 mm (40 mmL)
731040000 ... 00			3 - Phillips Jeweler Screwdriver PH.000; PH.00; PH.0 (40 mmL)
M610150			1 - Mini Long Nose Pliers Semiround
M612150			1 - Mini Cutting Nippers
2161-1			1 - Tweezer



5087

Star Key Combination Wing Driver

PARD NO.	(g)	
5087	308	60

Contents:

8 - Star Key Wingdriver

71605W ... 71620W	T5; T6; T7; T8; T9; T10; T15; T20
-------------------	--------------------------------------



5094T

9 pcs Hex Ball Point Grip Key Set

PARD NO.	(kg)	
5094T	1.07	10

Contents:

9 - Hex Ball Point Grip Key

765 02G...10G	Size (mm) 2; 2.5; 3; 4; 5; 6; 7; 8; 10
---------------	--



5109

10 pcs Hammer Screwdriver Set

PARD NO.	(g)	
5109	660	10

Contents:

7111M ... 4M			4 - Hammer Phillips Screwdriver PH.1; PH.2; PH.3; PH.4
713055M ... 14M			6 - Hammer Slotted Screwdriver 5.5; 6.5; 8; 10; 12; 14 mm



5116T

11 pcs Insulated Screwdriver Set

PARD NO.	(g)	
5116T	660	10

Contents:

7110N ... 3N			4 - Insulated Phillips Screwdriver PH.0; PH.1; PH.2; PH.3
713025N ... 8N			6 - Insulated Slotted Screwdriver 2.5; 3; 4; 5.5; 6.5; 8 mm
71303NT			1 - Screwdriver Probe Voltage Tester

SCREWDRIVER

series

PARD®



C5122T



12 pcs Star Screwdriver Set

PARD NO.	(g)	
C5122T	1100	10

Contents:

C716 06 ... 45		12 - Star Screwdriver
		T6; T7; T8; T9; T10; T15; T20; T25; T27; T30; T40; T45

C5132T



13 pcs Screwdriver Set

PARD NO.	(g)	
C5132T	1100	10

Contents:

C711 1S ... 2S		2 - Phillips Screwdriver (25mmL)
		PH. 1; PH. 2
C713 055S ... 065S		2 - Slotted Screwdriver (25mmL)
		1.0x5.5; 1.2x6.5
C711 0 ... 3		4 - Phillips Screwdriver
		PH. 0; PH. 1; PH. 2; PH. 3
C713 03 ... 08		5 - Slotted Screwdriver
		3; 4; 5.5; 6.5; 8 mm



C5122TT



12 pcs Star Tamperproof Screwdriver Set

PARD NO.	(g)	
C5122TT	1100	10

Contents:

C717 06 ... 45		12 - Star Tamperproof Screwdriver
		T6H; T7H; T8H; T9H; T10H; T15H; T20H; T25H; T27H; T30H; T40H; T45H

C5133T



13 pcs Screwdriver Set

PARD NO.	(g)	
C5133T	1100	10

Contents:

C712 1S ... 2S		2 - Pozidriv Screwdriver(25mmL)
		PZ. 1; PZ. 2
C713 055S ... 065S		2 - Slotted Screwdriver (25mmL)
		1.0x5.5; 1.2x6.5
C712 0 ... 3		4 - Pozidriv Screwdriver
		PZ. 0; PZ. 1; PZ. 2; PZ. 3
C713 03 ... 08		5 - Slotted Screwdriver
		3; 4; 5.5; 6.5; 8 mm



5551

1000V Insulated



55 pcs Screwdriver Set

PARD NO.	(g)	
5551	5370	2

Contents:

711 0N ... 3N		20 - Insulated Phillips Screwdriver
		5 - PH. 0 x 60mm
		5 - PH. 1 x 80mm
		5 - PH. 2 x 100mm
		5 - PH. 3 x 150mm
713 025N ... 08N		30 - Insulated Slotted Screwdriver
		Size (mm)
		5 - 2.5 x 75
		5 - 3 x 100
		5 - 4 x 100
		5 - 5.5 x 125
		5 - 6.5 x 150
		5 - 8 x 175
71303NT		5 - Screwdriver Probe Voltage Tester



C5601



60 pcs Star Screwdriver Set

PARD NO.	(g)	
C5601	4931	2

Contents:

C716 06 ... 45		60 - Star Screwdriver
		5 - T6
		5 - T7
		5 - T8
		5 - T9
		5 - T10
		5 - T15
		5 - T20
		5 - T25
		5 - T27
		5 - T30
		5 - T40
		5 - T45

SCREWDRIVER

series

PARD®



C5602

60 pcs Star Tamperproof Screwdriver Set

PARD NO.	(g)	
C5602	4931	2

Contents:		
C717 06 ... 45		60 - Star Tamperproof Screwdriver
		5 - T - 6H
		5 - T - 7H
		5 - T - 8H
		5 - T - 9H
		5 - T - 10H
		5 - T - 15H
		5 - T - 20H
		5 - T - 25H
		5 - T - 27H
		5 - T - 30H
		5 - T - 40H
		5 - T - 45H



C5651

65 pcs Screwdriver Set

PARD NO.	(g)	
C5651	5600	2

Contents:		
C711 0 ... 3		20 - Phillips Screwdriver
		5 - PH. 0 x 60mm
		5 - PH. 1 x 80mm
		5 - PH. 2 x 100mm
		5 - PH. 3 x 150mm
C711 1S ... 2S		10 - Phillips Screwdriver
		5 - PH. 1 x 25mm
		5 - PH. 2 x 25mm
C713 03 ... 08		25 - Slotted Screwdriver
	Size (mm)	5 - 0.5 x 3
		5 - 0.8 x 4
		5 - 1.0 x 5.5
		5 - 1.2 x 6.5
		5 - 1.2 x 8
C713 055S ... 065S		10 - Slotted Screwdriver
		5 - 1.0 x 5.5
		5 - 1.2 x 6.5



C5652

65 pcs Screwdriver Set

PARD NO.	(g)	
C5652	5600	2

Contents:		
C712 0 ... 3		20 - Pozidriv Screwdriver
		5 - PZ. 0 x 60mm
		5 - PZ. 1 x 80mm
		5 - PZ. 2 x 100mm
		5 - PZ. 3 x 150mm
C712 1S ... 2S		10 - Phillips Screwdriver
		5 - PZ. 1 x 25mm
		5 - PZ. 2 x 25mm
C713 03 ... 08		25 - Slotted Screwdriver
	Size (mm)	5 - 0.5 x 3
		5 - 0.8 x 4
		5 - 1.0 x 5.5
		5 - 1.2 x 6.5
		5 - 1.2 x 8
C713 055S ... 065S		10 - Slotted Screwdriver
		5 - 1.0 x 5.5
		5 - 1.2 x 6.5



5161

16 pcs Jeweler Screwdriver Set

PARD NO.	(g)	
5161	760	20

Contents:		
73304001 ... 025		6 - Slotted Jeweler Screwdriver
		1.0; 1.2; 1.5; 1.8; 2.0; 2.5 mm (40 mmL)
731040000 .. 00		2 - Phillips Jeweler Screwdriver
		PH.000; PH.00 (40mmL)
734040009 ... 015		3 - Hex Jeweler Screwdriver
		0.9; 1.3; 1.5 mm (40mmL)
M610150		1 - Mini Long Nose Pliers Semiround
M612150		1 - Mini Cutting Nippers
2161-1		1 - Tweezer
2161-2		1 - Scissors
2161-3		1 - Scalpel (with 6 blades)

WRENCH/SCREWDRIVER

PARD®

series




5201 20 pcs Jeweler Screwdriver Set

PARD NO.	(g)	
5201	215	40
Contents:		
73904DS	1 - 4 mm Inhex Screwdriver (150 mmL)	
11120 00 ... 0	2 - 4 mm Phillips Bit (20 mmL) PH.00; PH.0	
11220 00 ... 0	2 - 4 mm Pozidriv Bit (20 mmL) PZ.00; PZ.0	
11320 02 ... 04	4 - 4 mm Slotted Bit (20 mmL) 2.0; 2.5; 3.0; 4.0 mm	
11420 015 ... 025	3 - 4 mm Hex Bit (20 mmL) 1.5; 2.0; 2.5 mm	
11520 015 ... 025	3 - 4 mm Hex Ball Bit (20 mmL) 1.5; 2.0; 2.5 mm	
11620 06 ... 10	5 - 4 mm Star Bit (20 mmL) T6; T7; T8; T9; T10	

5264 26 pcs Jeweler Screwdriver Set

PARD NO.	(g)	
5264	310	40
Contents:		
73904DS	1 - 4 mm Inhex Screwdriver (150 mmL)	
11120 00 ... 0	2 - 4 mm Phillips Bit (20 mmL) PH.00; PH.0	
11220 00 ... 0	2 - 4 mm Pozidriv Bit (20 mmL) PZ.00; PZ.0	
11320 02 ... 04	4 - 4 mm Slotted Bit (20 mmL) 2.0; 2.5; 3.0; 4.0 mm	
11420 015 ... 025	3 - 4 mm Hex Bit (20 mmL) 1.5; 2.0; 2.5 mm	
11520 015 ... 025	3 - 4 mm Hex Ball Bit (20 mmL) 1.5; 2.0; 2.5 mm	
11620 06 ... 10	5 - 4 mm Star Bit (20 mmL) T6; T7; T8; T10	
S524 032 ... 07	5 - 1/4" Socket 3.2; 4.0; 5.0; 5.5; 7.0 mm	
8092125	1 - Bit Adaptor (25mmL) 4mm Hex - 1/4" Sq.	



5074L 7 pcs Ball & Ball Point Long Hex Key Set

PARD NO.	(g)	
5074L	368	48
Contents:		
765 1.8LBB ... 3.8LBB	7 - Ball & Ball Point Long Hex Key	
Size (inch)	1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8	
Contents:		
765 1.8XLBB ... 3.8XLBB	7 - Ball & Ball Point Extra Long Hex Key	
Size (inch)	1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8	

5074XL 7 pcs Ball & Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5074XL	450	48
Contents:		
765 1.8XLBB ... 3.8XLBB	7 - Ball & Ball Point Extra Long Hex Key	
Size (inch)	1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8	



5076 7 pcs Hex Key Set

PARD NO.	(g)	
5076	94	144
Contents:		
764015 ... 06	7 - Hex Key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6	

5076L 7 pcs Hex Long Key Set

PARD NO.	(g)	
5076L	94	144
Contents:		
764015L ... 06L	7 - Hex Long Key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6	

HEX KEY
series



5077 7 pcs Hex Key Set

PARD NO.	(g)	
5077	132	144
Contents:		
764025 ... 10	7 - Hex Key	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10



5077L 7 pcs Long Hex Key Set

PARD NO.	(g)	
5077L	375	48
Contents:		
764025L ... 10L	7 - Long Hex Key	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10



5077XL 7 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5077XL	490	48
Contents:		
764025XL ... 10XL	7 - Extra Long Hex Key	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10



5078LB 7 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5078LB	375	48
Contents:		
765025L ... 10L	7 - Ball Point Long Hex Key	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10

5077S 7 pcs Hex Key Set

PARD NO.	(g)	
5077S	132	144
Contents:		
764 3.32 ... 3.8	7 - Hex Key	
	Size (inch)	3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5077LS 7 pcs Long Hex Key Set

PARD NO.	(g)	
5077LS	375	48
Contents:		
7643.32L ... 3.8L	7 - Long Hex Key	
	Size (inch)	3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5077XLS 7 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5077XLS	490	48
Contents:		
7643.32L ... 3.8L	7 - Extra Long Hex Key	
	Size (inch)	3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5078LBS 7 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5078LBS	375	48
Contents:		
7653.32L ... 3.8L	7 - Ball Point Long Hex Key	
	Size (inch)	3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

HEX KEY

series



5078XLB



7 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5078XLB	490	48

Contents:

765025XL ... 10XL	7 - Ball Point Extra Long Hex Key
Size (mm)	2.5; 3; 4; 5; 6; 8; 10



5079



7 pcs Star Key Set

PARD NO.	(g)	
5079	54	144

Contents:

76606 ... 20	7 - Star Key
	T6; T7; T8; T9; T10; T15; T20



50610L



6 pcs Ball & Ball Point Long Hex Key

PARD NO.	(g)	
50610L	365	48

Contents:

765 03LBB ... 10LBB	6 - Ball & Ball Point Long Hex Key
Size (mm)	3; 4; 5; 6; 8; 10



50710



7 pcs Star Key Set

PARD NO.	(g)	
50710	137	144

Contents:

76610 ... 40	7 - Star Key
	T10; T15; T20; T25; T27; T30; T40

5078XLBS



7 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5078XLBS	490	48

Contents:

7653.32XL ... 3.8XL	7 - Ball Point Extra Long Hex Key
Size (inch)	3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5079T



7 pcs Star Tamperproof Key Set

PARD NO.	(g)	
5079T	54	144

Contents:

76706 ... 20	7 - Star Tamperproof Key
	T6H; T7H; T8H; T9H; T10H; T15H; T20H

50610XL



6 pcs Ball & Ball Point Extra Long Hex Key

PARD NO.	(g)	
50610XL	365	48

Contents:

765 03XLBB ... 10XLBB	6 - Ball & Ball Point Extra Long Hex Key
Size (mm)	3; 4; 5; 6; 8; 10

50710T



7 pcs Star Tamperproof Key Set


PARD NO.	(g)	
50710T	137	144

Contents:

76710 ... 40	7 - Star Tamperproof Key
	T10H; T15H; T20H; T25H; T27H; T30H; T40H

HEX KEY


series



50710L

7 pcs Star Long Key Set

PARD NO.	(g)	
50710L	192	72
Contents:		
76610L ... 40L	7 - Star Long Key	
	T10; T15; T20; T25; T27; T30; T40	



50710XL

7 pcs Star Extra Long Key Set

PARD NO.	(g)	
50710XL	225	72
Contents:		
76610XL ... 40XL	7 - Star Extra Long Key	
	T10; T15; T20; T25; T27; T30; T40	



50711

7 pcs Folding Type Ball Point Hex Key Set

PARD NO.	(g)	
50711	150	100
Contents:		
50711	7 - Ball Point Hex Key (Folding)	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10



50720

7 pcs Folding Type Hex Key Set

PARD NO.	(g)	
50720	150	100
Contents:		
50711	7 - Hex Key (Folding)	
	Size (mm)	2.5; 3; 4; 5; 6; 8; 10

50710LT

7 pcs Star Tamperproof Long Key Set

PARD NO.	(g)	
50710LT	192	72
Contents:		
76710L ... 40L	7 - Star Tamperproof Long Key	
	T10H; T15H; T20H; T25H; T27H; T30H; T40H	

50710XLT

7 pcs Star Tamperproof Extra Long Key Set

PARD NO.	(g)	
50710XLT	225	72
Contents:		
76710XL ... 40XL	7 - Star Tamperproof Extra Long Key	
	T10H; T15H; T20H; T25H; T27H; T30H; T40H	



50718

7 pcs Tamperproof Hex Key Set

PARD NO.	(g)	
50718	253	6 / 24
Contents:		
76403...10HT	7 - Tamperproof Hex Key	
	Size (mm)	3; 4; 5; 5.5; 6; 8; 10



50719

7 pcs Folding Type Hex Key Set

PARD NO.	(g)	
50719	150	100
Contents:		
50711	7 - Hex Key (Folding)	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6;



50740XL

7 pcs Extra Long Ribe Key Set

PARD NO.	(g)	
50740XL	575	6/30
Contents:		
773 04...10XL	7 - Extra Long Ribe Key	
	M4; M5; M6; M7; M8; M9; M10	

HEX KEY
series



5086 8 pcs Folding Type Star Key Set

PARD NO.	(g)	
5086	338	48

Contents:

8 - Star Key (Folding)

T9; T10; T15; T20; T25; T27; T30; T40



50818 8 pcs Spline Key Set

PARD NO.	(g)	
50818	574	6/30

Contents:

8 - Spline Key

M3; M4; M5; M6; M8;

M9; M10; M12



5092 9 pcs Hex Key Set

PARD NO.	(g)	
5092	280	48

Contents:

9 - Hex Key

Size (mm) 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5092L 9 pcs Long Hex Key Set

PARD NO.	(g)	
5092L	383	48

Contents:

9 - Long Hex Key

Size (mm) 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10

5086T 8pcs Folding Type Star Tamperproof Key Set

PARD NO.	(g)	
5086T	338	48

Contents:

8 - Star Tamperproof Key (Folding)

T9H; T10H; T15H; T20H; T25H; T27H;

T30H; T40H

5092S 9 pcs Hex Key Set

PARD NO.	(g)	
5092S	280	48

Contents:

9 - Hex Key

Size (inch) 1/16; 5/64; 3/32; 1/8; 5/32;

3/16; 1/4; 5/16; 3/8

5092LS 9 pcs Long Hex Key Set

PARD NO.	(g)	
5092LS	383	48

Contents:

9 - Long Hex Key

Size (inch) 1/16; 5/64; 3/32; 1/8; 5/32;

3/16; 1/4; 5/16; 3/8

50818XL 8 pcs Extra Long Spline L Key Set

PARD NO.	(g)	
50818XL	744	6/24

:

8 - Extra Long Spline L Key

M3; M4; M5; M6; M8;

M9; M10; M12

8 pcs Extra Long Spline L Key Set

HEX KEY
series



5092XL
9 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5092XL	472	48

Contents:		
764 015XL ... 10XL	9 - Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5092LB
9 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5092LB	386	48

Contents:		
765015L ... 10L	9 - Ball Point Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5092XLB
9 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5092XLB	465	48

Contents:		
765015XL ... 10XL	9 - Ball Point Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5093
9 pcs Star Key Set

PARD NO.	(g)	
5093	250	72

Contents:		
766 10 ... 50	9 - Star Key	
		T10; T15; T20; T25; T27; T30; T40; T45; T50

5092XLS
9 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5092XLS	465	48

Contents:		
764 1.16XL ... 3.8XL	9 - Extra Long Hex Key	
	Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5092LBS
9 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5092LBS	380	48

Contents:		
765 1.16L ... 3.8L	9 - Ball Point Long Hex Key	
	Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5092XLBS
9 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5092XLBS	465	48

Contents:		
765 1.16XL ... 3.8XL	9 - Ball Point Extra Long Hex Key	
	Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5093T
9 pcs Star Tamperproof Key Set

PARD NO.	(g)	
5093T	250	72

Contents:		
767 10 ... 50	9 - Star Tamperproof Key	
		T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H

HEX KEY
series



5093L 9 pcs Star Long Key Set

PARD NO.	(g)	
5093L	360	48
Contents:		
766 10L ... 50L	9 - Star Long Key	
	T10; T15; T20; T25; T27; T30; T40; T45; T50	



5093XL 9 pcs Star Extra Long Key Set

PARD NO.	(g)	
5093XL	472	48
Contents:		
76610XL ... 50XL	9 - Star Extra Long Key	
	T10; T15; T20; T25; T27; T30; T40; T45; T50	



5094XL 9 pcs Extra Long Fived-sided Star Key Set

PARD NO.	(g)	
5094XL	472	48
Contents:		
768 10XL ... 50XL	9 - Extra Long Fived-sided Star Key	
	TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50	



5096L 9 pcs Striped Long Hex Key Set

PARD NO.	(g)	
5096L	383	48
Contents:		
S764 015L ... 10L	9 - Striped Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10

5093LT 9 pcs Star Tamperproof Long Key Set

PARD NO.	(g)	
5093LT	360	48
Contents:		
767 10L ... 50L	9 - Star Tamperproof Long Key	
	T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H	

5093XLT 9 pcs Star Tamperproof Extra Long Key Set

PARD NO.	(g)	
5093XLT	472	48
Contents:		
767 10XL ... 50XL	9 - Star Tamperproof Extra Long Key	
	T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H	

5094XLT 9 pcs Extra Long Tamperproof Fived-sided Star Key Set

PARD NO.	(g)	
5094XLT	472	48
Contents:		
769 10XL ... 50XL	9 - Extra Long Tamperproof Five-Sided Star Key	
	TS10H; TS15H; TS20H; TS25H; TS27H; TS30H; TS40H; TS45H; TS50H	

5096LS 9 pcs Striped Long Hex Key Set

PARD NO.	(g)	
5096LS	383	48
Contents:		
S764 1.16L ... 3.8L	9 - Striped Long Hex Key	
	Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

HEX KEY
series



5096XL  
9 pcs Striped Extra Long Hex Key Set

PARD NO.	(g)	
5096XL	472	48

Contents:	
S764 015XL ...10XL	9 - Striped Extra Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5097L  
9 pcs Striped Ball Point Long Hex Key Set

PARD NO.	(g)	
5097L	383	48

Contents:	
S765 015L ...10L	9 - Striped Ball Point Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5097XL  
9 pcs Striped Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5097XL	472	48

Contents:	
S765 015XL ... 10XL	9 - Striped Ball Point Extra Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10



5098L  
9 pcs Stubby Long Hex Key Set

PARD NO.	(g)	
5098L	472	48

Contents:	
764 015LS... 10LS	9 - Stubby Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10

5096XLS  
9 pcs Striped Extra Long Hex Key Set

PARD NO.	(g)	
5096XLS	472	48

Contents:	
S764 1.16XL ...3.8XL	9 - Striped Extra Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5097LS  
9 pcs Striped Ball Point Long Hex Key Set

PARD NO.	(g)	
5097LS	383	48

Contents:	
S765 1.16L ...3.8L	9 - Striped Ball Point Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5097XLS  
9 pcs Striped Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5097XLS	465	48


Contents:	
S765 1.16XL... 3.8XL	9 - Striped Ball Point Extra Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

5098LS  
9 pcs Stubby Long Hex Key Set

PARD NO.	(g)	
5098LS	465	48

Contents:	
764 1.16LS...7643.8LS	9 - Stubby Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8

HEX KEY
series



5098XL 9 pcs Stubby Extra Long Hex Key Set

PARD NO.	(g)	
5098XL	472	36

Contents:		
764 015XLS ... 10XLS	9 - Stubby Extra Long Hex Key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10	



5099L 9 pcs Stubby Ball Point Long Hex Key Set

PARD NO.	(g)	
5099L	472	36

Contents:		
765 015LS ... 10LS	9 - Stubby Ball Point Long Hex key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10	



5099XL 9 pcs Stubby Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5099XL	472	36

Contents:		
765 015XLS ... 10XLS	9 - Stubby Ball Point Extra Long Hex key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10	



50912LB 9 pcs Star & Star Ball Point Long L Key Set

PARD NO.	(g)	
50912LB	360	48

Contents:		
766 10LB ... 50LB	9 - Star & Star Ball Point Long L Key	
	T10; T15; T20; T25; T27; T30; T40; T45; T50	

5098XLS 9 pcs Stubby Extra Long Hex Key Set

PARD NO.	(g)	
5098XLS	472	36

Contents:		
764 1.16LS ... 3.8LS	9 - Stubby Extra Long Hex Key	
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8	

5099LS 9 pcs Stubby Ball Point Long Hex Key Set

PARD NO.	(g)	
5099LS	472	36

Contents:		
765 1.16LS ... 3.8LS	9 - Stubby Ball Point Long Hex key	
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8	

5099XLS 9 pcs Stubby Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5099XLS	472	36

Contents:		
765 1.16XLS ... 3.8XLS	9 - Stubby Ball Point Extra Long Hex key	
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 1/4; 5/16; 3/8	



5101 10 pcs Hex Key Set

PARD NO.	(g)	
5101	260	48


Contents:		
764015 ... 10	10 - Hex Key	
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10	

HEX KEY
series



5101L 10 pcs Long Hex Key Set

PARD NO.	(g)	
5101L	356	48
Contents:		
764015L ... 10L	10 - Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10



5101LB 10 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5101LB	385	48
Contents:		
765015L ... 10L	10 - Ball Point Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10



5183L 18 pcs Long Hex Key Set

PARD NO.	(g)	
5183L	2783	6
Contents:		
764015L ... 19L	18 - Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 12; 14; 17; 19




5184L 18 pcs Striped Long Hex Key Set

PARD NO.	(g)	
5184L	2783	6
Contents:		
S764 015L ... 19L	18 - Striped Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 12; 14; 17; 19



5101XL 10 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5101XL	438	48
Contents:		
764015XL ... 10XL	10 - Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10



5101XLB 10 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5101XLB	386	48
Contents:		
765015XL ... 10XL	10 - Ball Point Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10

5183XL 18 pcs Extra Long Hex Key Set

PARD NO.	(g)	
5183XL	3366	6
Contents:		
764015XL ... 19XL	18 - Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 12; 14; 17; 19

5184XL 18 pcs Striped Extra Long Hex Key Set

PARD NO.	(g)	
5184XL	3366	6
Contents:		
S764 015XL ... 19XL	18 - Striped Extra Long Hex Key	
	Size (mm)	1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 12; 14; 17; 19

SCREWDRIVER

series

PARD®



5202L

20 pcs Ball Point Long Hex Key Set

PARD NO.	(g)	
5202L	950	12

Contents:

765 015L ...10L	10 - Ball Point Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 5.5; 6; 8; 10
765 1.16L ... 3.8L	10 - Ball Point Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8

5202XL

20 pcs Ball Point Extra Long Hex Key Set

PARD NO.	(g)	
5202XL	950	12

Contents:

765 015XL ...10XL	10 - Ball Point Extra Long Hex Key
Size (mm)	1.5; 2; 2.5; 3; 4; 5; 5.5; 6; 8; 10
765 1.16XL ... 3.8XL	10 - Ball Point Extra Long Hex Key
Size (inch)	1/16; 5/64; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16; 3/8



C711 Phillips Screwdriver

PARD NO.				(g)	
C7111S	PH.1	25	75	39	30/300
C7112S	PH.2	25	75	42	30/300
C7110	PH.0	60	145	33	30/240
C7111	PH.1	80	185	79	30/240
C7112	PH.2	100	215	114	20/120
C7113	PH.3	150	275	163	20/120
C7111-2	PH.1	100	205	90	30/240
C7112-2	PH.2	150	265	154	20/120



711E Extra Phillips Screwdriver

PARD NO.				(g)	
7113000E	PH.0	300	60		20/120
7114001E	PH.1	400	110		20/120
7114002E	PH.2	400	120		20/120



711M Hammer Phillips Screwdriver

PARD NO.				(g)	
7111M	PH.1	80	185	88	20/240
7112M	PH.2	100	215	132	20/240
7113M	PH.3	150	275	218	20/200
7114M	PH.4	200	325	316	10/80



711N 1000V Insulated Phillips Screwdriver

PARD NO.				(g)	
7110N	PH.0	60	145	30	30/240
7111N	PH.1	80	185	66	30/240
7112N	PH.2	100	215	96	20/120
7113N	PH.3	150	275	170	20/120



711 Adjustment Phillips Screwdriver

PARD NO.				(g)	
7114002	PH.2	400	515	215	10/60



C712 Pozidriv Screwdriver

PARD NO.				(g)	
C7121S	PZ.1	25	75	38	30/300
C7122S	PZ.2	25	75	42	30/300
C7120	PZ.0	60	145	32	30/240
C7121	PZ.1	80	185	79	30/240
C7122	PZ.2	100	215	114	20/120
C7123	PZ.3	150	275	163	20/120



712M Hammer Pozidriv Screwdriver

PARD NO.				(g)	
7121M	PZ.1	80	185	88	30/240
7122M	PZ.2	100	215	132	20/120
7123M	PZ.3	150	275	218	10/80
7124M	PZ.4	200	325	316	10/60

SCREWDRIVER

series

PARD®



712N 1000V Insulated Pozidriv Screwdriver

PARD NO.				(g)	
7120N	PZ.0	60	145	30	30 / 240
7121N	PZ.1	80	185	66	30 / 240
7122N	PZ.2	100	215	96	20 / 120
7123N	PZ.3	150	275	170	10 / 80



713E Extra Slotted Screwdriver

PARD NO.	(mm)			(g)	
7133003E	0.5x3	300	60	20/120	
7134004E	0.8x4	400	110	20/120	
71340055E	1.0x5.5	400	130	20/120	
71340065E	1.2x6.5	400	160	20/120	



713N 1000V Insulated Slotted Screwdriver

PARD NO.				(g)	
713025N	2.5	75	160	32	30 / 240
71303N	3	100	185	38	30 / 240
71304N	4	100	205	66	30 / 240
713055N	5.5	125	240	87	20 / 120
713065N	6.5	150	265	122	10 / 80
71308N	8	175	300	194	10 / 80



714 Hex Nut Driver

PARD NO.				(g)	
71403	3	150	260	100	10/120
71404	4	150	260	102	10/120
714045	4.5	150	260	110	10/120
71405	5	150	260	110	10/120
71406	6	150	260	114	10/120
71407	7	150	260	118	10/120
71408	8	150	260	120	10/120
71409	9	150	260	130	10/120
71410	10	150	260	140	10/120
71411	11	150	260	150	10/120
71412	12	150	260	160	10/120
71413	13	150	260	180	10/120
71414	14	150	260	200	10/120



C713 Slotted Screwdriver

PARD NO.	(mm)			(g)	
C713055S	1.0x5.5	25	75	36	30 / 300
C713065S	1.2x6.5	25	75	40	30 / 300
C71303	0.5x3	75	160	31	30 / 240
C71304	0.8x4	100	205	58	30 / 240
C713055	1.0x5.5	125	230	65	20 / 120
C713065	1.2x6.5	150	265	132	20 / 120
C71308	1.2x8	175	300	206	20 / 120



713M Hammer Slotted Screwdriver

PARD NO.	(mm)			(g)	
713055M	5.5	125	230	92	20 / 120
713065M	6.5	150	265	144	10 / 80
71308M	8	150	275	218	10 / 80
71310M	10	200	325	312	10 / 60
71312M	12	200	325	314	10 / 60
71314M	14	250	375	348	10 / 60



71303NT Screwdriver Probe Voltage Tester

PARD NO.		(g)	
71303NT	145	45	30 / 240

* Test Range: 80~250 AC.



713 Adjustment Slotted Screwdriver

PARD NO.	(mm)			(g)	
71340065	6.5	400	515	215	10/60




714 Hex Nut Driver

PARD NO.				(g)	
7141.8	1/8	150	260	100	10/120
7145.32	5/32	150	260	102	10/120
7143.16	3/16	150	260	110	10/120
7147.32	7/32	150	260	112	10/120
7141.4	1/4	150	260	114	10/120
7149.32	9/32	150	260	118	10/120
7145.16	5/16	150	260	120	10/120
71411.32	11/32	150	260	130	10/120
7143.8	3/8	150	260	140	10/120
7147.16	7/16	150	260	150	10/120
7141.2	1/2	150	260	180	10/120
7149.16	9/16	150	260	200	10/120

SCREWDRIVER

series

PARD®



715 T Handle Nut Driver

PARD NO.				(g)	
71503	3	150	200	100	10/120
71504	4	150	200	102	10/120
715045	4.5	150	200	110	10/120
71505	5	150	200	110	10/120
71506	6	150	200	114	10/120
71507	7	150	200	118	10/120
71508	8	150	200	120	10/120
71509	9	150	200	130	10/120
71510	10	150	200	140	10/120
71511	11	150	200	150	10/120
71512	12	150	200	160	10/120
71513	13	150	200	180	10/120
71514	14	150	200	200	10/120

C716 Star Screwdriver

PARD NO.				(g)	
C71606	T6	60	145	32	30 / 240
C71607	T7	60	145	32	30 / 240
C71608	T8	60	145	32	30 / 240
C71609	T9	60	145	32	30 / 240
C71610	T10	80	185	34	30 / 240
C71615	T15	80	185	35	30 / 240
C71620	T20	100	205	65	30 / 240
C71625	T25	100	205	73	20 / 200
C71627	T27	115	230	106	20 / 200
C71630	T30	115	230	107	20 / 120
C71640	T40	130	245	153	20 / 120
C71645	T45	130	245	166	20 / 120

C717 Star Tamperproof Screwdriver

PARD NO.				(g)	
C71706	T-6H	60	145	32	30 / 240
C71707	T-7H	60	145	32	30 / 240
C71708	T-8H	60	145	32	30 / 240
C71709	T-9H	60	145	32	30 / 240
C71710	T-10H	80	185	34	30 / 240
C71715	T-15H	80	185	35	30 / 240
C71720	T-20H	100	205	65	30 / 240
C71725	T-25H	100	205	73	20 / 200
C71727	T-27H	115	230	106	20 / 200
C71730	T-30H	115	230	107	20 / 120
C71740	T-40H	130	245	153	20 / 120
C71745	T-45H	130	245	166	20 / 120

718 Flexible Hex Nut Driver

PARD NO.				(g)	
7180607	6x7mm	190	290	220	10/60



715 T Handle Nut Driver

PARD NO.				(g)	
7151.8	1/8	150	200	100	10/120
7155.32	5/32	150	200	102	10/120
7153.16	3/16	150	200	110	10/120
7157.32	7/32	150	200	112	10/120
7151.4	1/4	150	200	114	10/120
7159.32	9/32	150	200	118	10/120
7155.16	5/16	150	200	120	10/120
71511.32	11/32	150	200	130	10/120
7153.8	3/8	150	200	140	10/120
7157.16	7/16	150	200	150	10/120
7151.2	1/2	150	200	180	10/120
7159.16	9/16	150	200	200	10/120



716W Star Key Wingdriver

PARD NO.			 (g)	 / 
71605W	T5	78	11	10 / 400
71606W	T6	78	11	10 / 400
71607W	T7	78	11	10 / 400
71608W	T8	78	11	10 / 400
71609W	T9	78	11	10 / 400
71610W	T10	78	11	10 / 400
71615W	T15	90	15	10 / 400
71620W	T20	90	15	10 / 400
71625W	T25	90	15	10 / 400
71627W	T27	90	15	10 / 400
71630W	T30	90	15	10 / 400



718 Flexible Hex Nut Driver

PARD NO.				(g)	
718055	5.5mm	160	270	190	10/60
71806	6mm	160	270	192	10/60
71807	7mm	160	270	196	10/60
71808	8mm	160	270	198	10/60
7181.4	1/4"	160	270	192	10/60
7185.16	5/16"	160	270	198	10/60

733 Slotted Jeweler Screwdriver

PARD NO.				(g)	
73304001	1.0	40	120	14	10 / 400
733040012	1.2	40	120	14	10 / 400
733040015	1.5	40	120	14	10 / 400
733040018	1.8	40	120	14	10 / 400
73304002	2.0	40	120	14	10 / 400
733040025	2.5	40	120	14	10 / 400
73307502	2.0	75	155	18	10 / 400
733075025	2.5	75	155	18	10 / 400
73307503	3.0	75	155	18	10 / 400
733075035	3.5	75	155	18	10 / 400
73307504	4.0	75	155	18	10 / 400



WRENCH

series

PARD®



734 Hex Jeweler Screwdriver

PARD NO.					
				(g)	
734040009	0.9	40	120	14	10 / 400
734040013	1.3	40	120	14	10 / 400
734040015	1.5	40	120	14	10 / 400
73407502	2.0	75	155	18	10 / 400
734075025	2.5	75	155	18	10 / 400
73407503	3.0	75	155	18	10 / 400
7340400.05	0.05	40	120	14	10 / 400
7340401.16	1/16"	40	120	14	10 / 400
7340753.32	3/32"	75	155	18	10 / 400



737 Star Tamperproof Jeweler Screwdriver

PARD NO.					
				(g)	
73704005	T-5H	40	120	14	10 / 400
73704006	T-6H	40	120	14	10 / 400
73704007	T-7H	40	120	15	10 / 400
73704008	T-8H	40	120	15	10 / 400
73707509	T-9H	75	155	18	10 / 400
73707510	T-10H	75	155	18	10 / 400
73707515	T-15H	75	155	21	10 / 400
73707520	T-20H	75	155	23	10 / 400



C751 Flare Nut Wrench

PARD NO.	Size (mm)		(g)	
C7510810	8×10	145	50	20 / 200
C7510911	9×11	152	55	20 / 200
C7511011	10×11	152	64	10 / 200
C7511012	10×12	152	62	10 / 200
C7511113	11×13	165	86	10 / 200
C7511214	12×14	178	106	10 / 200
C7511314	13×14	178	95	10 / 200
C7511417	14×17	196	150	10 / 80
C7511618	16×18	196	198	10 / 80
C7511719	17×19	210	193	10 / 80
C7511722	17×22	233	244	10 / 60
C7511819	18×19	210	183	10 / 80
C7511922	19×22	233	259	5 / 80
C7512427	24×27	265	378	5 / 60
C7513032	30×32	285	457	5 / 50
C7513641	36×41	350	885	



C752 Hinged Socket Wrench

PARD NO.	Size (mm)		(g)	
C7520607	6×7	198	97	10 / 120
C7520809	8×9	198	99	10 / 120
C7520810	8×10	201	103	10 / 120
C7521011	10×11	213	125	10 / 120
C7521012	10×12	213	128	10 / 120
C7521213	12×13	227	161	10 / 120
C7521214	12×14	231	173	10 / 120
C7521317	13×17	240	228	10 / 80
C7521415	14×15	243	234	10 / 80
C7521617	16×17	253	313	10 / 60
C7521719	17×19	274	374	10 / 60
C7521819	18×19	277	382	10 / 60
C7521922	19×22	290	491	10 / 40
C7522022	20×22	292	520	10 / 40
C7522123	21×23	292	545	10 / 40
C7522427	24×27	319	756	10 / 20



736 Star Jeweler Screwdriver

PARD NO.					
				(g)	
73604005	T5	40	120	14	10 / 400
73604006	T6	40	120	14	10 / 400
73604007	T7	40	120	14	10 / 400
73604008	T8	40	120	14	10 / 400
73607509	T9	75	155	18	10 / 400
73607510	T10	75	155	18	10 / 400
73607515	T15	75	155	18	10 / 400
73607520	T20	75	155	18	10 / 400



750A Double Ended 6pt-6pt Socket Wrench

PARD NO.	Size (mm)		(g)	
750A0607	6×7	105	35	20 / 400
750A0809	8×9	105	41	20 / 400
750A1011	10×11	140	55	20 / 400
750A1213	12×13	140	73	20 / 300
750A1415	14×15	140	88	20 / 200
750A1617	16×17	150	139	20 / 120
750A1819	18×19	155	161	20 / 100
750A2022	20×22	165	264	10 / 80
750A2123	21×23	165	291	10 / 60
750A2426	24×26	180	314	10 / 60
750A2528	25×28	195	365	10 / 60
750A2729	27×29	195	386	10 / 60
750A3032	30×32	195	409	10 / 60



C751S Flare Nut Wrench

PARD NO.	Size (inch)		(g)	
C7510810S	5/16×3/8	145	50	20 / 200
C7511011S	3/8×7/16	152	64	20 / 200
C7511112S	7/16×1/2	165	86	10 / 200
C7511214S	1/2×9/16	178	116	10 / 200
C7511619S	5/8×3/4	210	198	10 / 80
C7511719S	11/16×3/4	210	193	10 / 80
C7511922S	3/4×7/8	233	259	5 / 80



C752S Hinged Socket Wrench

PARD NO.	Size (inch)		(g)	
C7521011S	3/8×7/16	213	125	10 / 120
C7521314S	1/2×9/16	230	173	10 / 120
C7521617S	5/8×11/16	253	313	10 / 60
C7521619S	5/8×3/4	274	322	10 / 60
C7521719S	11/16×3/4	279	365	10 / 60
C7521922S	3/4×7/8	290	491	10 / 40
C7522122S	13/16×7/8	292	520	10 / 40
C7522425S	15/16×1	319	756	10 / 20

WRENCH

series

PARD®



753 Angle Wrench 12pt.-6pt.

PARD NO.	Size (mm)				
75306	6	20	102	32	10 / 200
75307	7	21	106	41	10 / 200
75308	8	28	114	56	10 / 200
75309	9	29	122	68	10 / 200
75310	10	33	129	88	10 / 200
75311	11	36	136	120	10 / 200
75312	12	40	144	150	12 / 120
75313	13	42	152	192	12 / 120
75314	14	45	160	204	10 / 80
75315	15	47	169	232	10 / 80
75316	16	51	178	292	10 / 80
75317	17	53	187	316	8 / 64
75318	18	54	195	328	8 / 64
75319	19	55	204	434	5 / 40
75320	20	59	212	446	5 / 40
75321	21	62	221	470	5 / 40
75322	22	66	260	548	5 / 40
75323	23	69	240	758	6 / 30
75324	24	72	250	816	6 / 30
75325	25	75	260	900	3 / 24
75326	26	77	270	1010	3 / 24
75327	27	80	280	1150	2 / 20
75328	28	82	290	1202	2 / 20
75329	29	85	300	1350	2 / 12
75330	30	88	310	1454	2 / 12
75332	32	98	330	1692	2 / 12

753B Angle Wrench 6pt.-6pt.

PARD NO.	Size (mm)				
753B04	4	24	95	20	20 / 400
753B05	5	24	95	20	20 / 400
753B055	5.5	25	95	25	20 / 400
753B06	6	27	100	30	20 / 400
753B07	7	29	100	30	20 / 400
753B08	8	32	109	48	20 / 400
753B09	9	33	109	46	20 / 400
753B10	10	36	118	68	20 / 300
753B11	11	36	118	70	20 / 300
753B12	12	43	127	100	20 / 200
753B13	13	43	127	110	20 / 200
753B14	14	49	136	155	10 / 120
753B15	15	49	136	160	10 / 120
753B16	16	55	145	190	10 / 100
753B17	17	55	145	200	10 / 100
753B18	18	61	154	225	10 / 80
753B19	19	61	154	230	10 / 80
753B20	20	66	163	320	8 / 64
753B21	21	67	163	325	8 / 64
753B22	22	68	172	350	8 / 64
753B23	23	72	172	390	8 / 64
753B24	24	74	180	415	6 / 48
753B27	27	81	190	520	6 / 48
753B30	30	86	205	640	4 / 40
753B32	32	93	215	785	4 / 30

C754 Double Open End Wrench

PARD NO.	Size (mm)			
C75405507	5.5×7	123	30	40 / 400
C7540607	6×7	123	27	40 / 400
C7540708	7×8	123		40 / 400
C7540608	6×8	123	27	40 / 400
C7540809	8×9	141	42	40 / 400
C7540810	8×10	141	40	10 / 200
C7541011	10×11	157	63	10 / 200
C7540911	9×11	157	63	10 / 200
C7541012	10×12	157	63	10 / 200
C7541113	11×13	172	85	10 / 200
C7541213	12×13	172	83	10 / 200
C7541214	12×14	180	92	10 / 200
C7541314	13×14	180	92	10 / 200
C7541317	13×17	195	99	10 / 80
C7541415	14×15	190	106	10 / 100
C7541417	14×17	195	113	10 / 100
C7541617	16×17	205	142	10 / 100
C7541618	16×18	205	134	10 / 80
C7541719	17×19	220	174	10 / 80
C7541819	18×19	220	175	10 / 80
C7541921	19×21	236	200	10 / 80
C7541922	19×22	236	200	10 / 80
C7542022	20×22	236	223	10 / 80
C7542123	21×23	246	260	10 / 80
C7542224	22×24	246	253	10 / 80
C7542326	23×26	255	279	5 / 50
C7542426	24×26	255	266	5 / 50
C7542427	24×27	259	318	5 / 50
C7542528	25×28	279	322	5 / 50
C7542632	26×32	290	430	5 / 50
C7542730	27×30	286	410	5 / 50
C7542732	27×32	300	450	5 / 50
C7543032	30×32	297	465	5 / 50
C7543641	36×41	380	920	

C754S Double Open End Wrench

PARD NO.	Size (inch)			
C7540608S	1/4×5/16	123	27	40 / 400
C7540810S	5/16×3/8	141	40	40 / 400
C7541011S	3/8×7/16	157	63	10 / 200
C7541314S	1/2×9/16	180	92	10 / 200
C7541416S	9/16×5/8	190	107	10 / 100
C7541617S	5/8×11/16	195	141	10 / 100
C7541719S	11/16×3/4	220	174	10 / 80
C7541720S	11/16×25/32	220	174	10 / 80
C7541920S	3/4×25/32	236	200	10 / 80
C7542122S	13/16×7/8	236	260	10 / 80
C7542425S	15/16×1	255	279	5 / 50
C7542427S	15/16×1-1/16	259	318	5 / 50
C7542529S	1×1-1/8	279	322	5 / 50
C7542932S	1-1/8×1-1/4	297	478	5 / 50


WRENCH

series

PARD®



C755 Combination Wrench

PARD NO.	Size (mm)		 (g)	
C755055	5.5	96	17	20 / 400
C75506	6	106	19	20 / 400
C75507	7	116	22	20 / 400
C75508	8	126	26	20 / 400
C75509	9	136	36	10 / 200
C75510	10	146	46	10 / 200
C75511	11	156	55	10 / 200
C75512	12	166	67	10 / 200
C75513	13	176	78	10 / 200
C75514	14	186	95	10 / 120
C75515	15	196	138	10 / 120
C75516	16	206	108	10 / 120
C75517	17	216	140	10 / 120
C75518	18	226	160	10 / 120
C75519	19	236	167	10 / 120
C75520	20	246	191	10 / 120
C75521	21	256	224	10 / 80
C75522	22	266	246	5 / 80
C75523	23	276	278	5 / 60
C75524	24	286	298	5 / 60
C75525	25	296	310	5 / 60
C75526	26	306	332	5 / 60
C75527	27	316	363	5 / 60
C75528	28	326	406	5 / 60
C75529	29	336	450	5 / 40
C75530	30	346	512	5 / 40
C75532	32	366	522	5 / 40
C75533	33	385	770	12
C75534	34	385	770	12
C75535	35	410	950	12
C75536	36	410	950	12
C75538	38	435	950	12
C75541	41	460	950	12
C75542	42	460	950	12
C75544	44	460	1250	12
C75546	46	500	1250	12
C75548	48	540	2100	10
C75550	50	540	2200	10
C75555	55	560	2800	8
C75558	58	600	3900	6
C75560	60	600	3900	6
C75565	65	680	5800	4
C75570	70	680	5800	4
C75575	75	730	6700	4

C75580	80	730	6500	4
C75585	85	790	10000	2
C75590	90	790	10000	2
C75595	95	790	10000	2
C755100	100	860	11000	2
C755105	105	860	10500	2



C755 Combination Wrench

PARD NO.	Size (inch)		 (g)	
C7551.4	1/4	106	17	20 / 400
C7555.16	5/16	126	26	20 / 400
C7553.8	3/8	146	42	10 / 200
C7557.16	7/16	156	49	10 / 200
C7551.2	1/2	176	72	10 / 200
C7559.16	9/16	186	84	10 / 120
C7555.8	5/8	206	113	10 / 120
C75511.16	11/16	216	124	10 / 120
C7553.4	3/4	236	167	10 / 120
C75513.16	13/16	256	229	10 / 80
C7557.8	7/8	266	220	5 / 80
C75515.16	15/16	286	279	5 / 60
C7551.0	1	306	335	5 / 60
C7551.1.16	1-1/16	316	375	5 / 50
C7551.1.8	1-1/8	336	530	5 / 40
C7551.1.4	1-1/4	366	527	5 / 40
C7551.5.16	1-5/16	385	648	12
C7551.3.8	1-3/8	410	822	12
C7551.7.16	1-7/16	435	1112	12
C7551.1.2	1-1/2	435	1081	12
C7551.5.8	1-5/8	460	1354	12
C7551.11.16	1-11/16	460	1291	12
C7551.3.4	1-3/4	500	1750	12
C7551.13.16	1-13/16	500	2100	12
C7551.7.8	1-7/8	540	2100	10
C7552.0	2	540	2200	10



C755A 75° Combination Wrench

PARD NO.	Size (mm)		 (g)	
C75506A	6	130	22	20 / 400
C75507A	7	130	25	20 / 400
C75508A	8	140	30	20 / 400
C75509A	9	150	40	10 / 200
C75510A	10	160	50	10 / 200
C75511A	11	170	60	10 / 200
C75512A	12	180	70	10 / 200
C75513A	13	190	85	10 / 200
C75514A	14	200	95	10 / 120
C75515A	15	210	105	10 / 120
C75516A	16	220	120	10 / 120
C75517A	17	230	140	10 / 120
C75518A	18	240	160	10 / 120
C75519A	19	250	170	10 / 120
C75520A	20	260	190	10 / 120
C75521A	21	270	210	10 / 80
C75522A	22	280	220	5 / 80
C75523A	23	300	240	5 / 60
C75524A	24	312	300	5 / 60
C75525A	25	320	320	5 / 60
C75526A	26	330	328	5 / 60
C75527A	27	340	360	5 / 60
C75528A	28	352	395	5 / 60
C75529A	29	363	450	5 / 40
C75530A	30	373	475	5 / 40
C75532A	32	395	545	5 / 40



C755A 75° Combination Wrench

PARD NO.	Size (inch)		 (g)	
C7551.4A	1/4	130	22	20 / 400
C7555.16A	5/16	140	60	20 / 400
C7553.8A	3/8	160	50	10 / 200
C7557.16A	7/16	170	60	10 / 200
C7551.2A	1/2	190	70	10 / 200
C7559.16A	9/16	200	95	10 / 120
C7555.8A	5/8	220	120	10 / 120
C75511.16A	11/16	230	140	10 / 120
C7553.4A	3/4	250	180	10 / 120
C75513.16A	13/16	280	190	10 / 80
C7557.8A	7/8	300	220	5 / 80
C75515.16A	15/16	320	300	5 / 60
C7551.0A	1	330	320	5 / 60
C7551.1.16A	1-1/16	340	360	5 / 50
C7551.1.8A	1-1/8	363	450	5 / 40
C7551.1.4A	1-1/4	395	545	5 / 40


WRENCH

series

PARD®



C755Q Quick Opened Combination Wrench

PARD NO.	Size (mm)		 (g)	
C75508Q	8	126	26	20 / 400
C75509Q	9	136	34	10 / 200
C75510Q	10	146	43	10 / 200
C75511Q	11	156	49	10 / 200
C75512Q	12	166	63	10 / 200
C75513Q	13	176	72	10 / 200
C75514Q	14	186	88	10 / 120
C75515Q	15	196	101	10 / 120
C75516Q	16	206	108	10 / 120
C75517Q	17	216	128	10 / 120
C75518Q	18	226	145	10 / 120
C75519Q	19	236	167	10 / 120

C756 Star Wrench

PARD NO.	Size		 (g)	
C7560608	E6×E8	112	24	20 / 400
C7560711	E7×E11	125	34	20 / 400
C7561012	E10×E12	140	42	30 / 300
C7561418	E14×E18	180	82	20 / 200
C7561622	E16×E22	200	125	10 / 120
C7562024	E20×E24	224	183	10 / 120

C758 45° Offset Ring Wrench

PARD NO.	Size (mm)		 (g)	
C7580607	6×7	165	50	10 / 200
C7580709	7×9	165	55	10 / 200
C7580809	8×9	170	60	10 / 200
C7580810	8×10	170	63	10 / 200
C7581011	10×11	180	88	10 / 100
C7581012	10×12	195	90	10 / 100
C7581113	11×13	205	101	10 / 100
C7581213	12×13	205	102	10 / 100
C7581214	12×14	205	99	10 / 100
C7581415	14×15	235	138	10 / 100
C7581417	14×17	235	177	10 / 100
C7581516	15×16	240	180	10 / 100
C7581617	16×17	240	184	10 / 100
C7581618	16×18	240	191	10 / 100
C7581619	16×19	270	200	10 / 100
C7581719	17×19	270	200	10 / 100
C7581819	18×19	270	205	10 / 100
C7581921	19×21	292	211	10 / 100
C7581922	19×22	292	211	10 / 100
C7582022	20×22	292	283	10 / 80
C7582122	21×22	327	283	10 / 80
C7582123	21×23	327	283	10 / 60
C7582224	22×24	327	355	10 / 60
C7582326	23×26	360	470	10 / 40
C7582426	24×26	360	470	10 / 40
C7582427	24×27	370	503	10 / 40
C7582528	25×28	392	610	10 / 40
C7582732	27×32	392	747	10 / 40
C7583032	30×32	392	800	10 / 40
C7583641	36×41	458	1350	5 / 20

C758S 45° Offset Ring Wrench

PARD NO.	Size (inch)		 (g)	
C7580608S	1/4×5/16	165	54	10 / 200
C7580810S	5/16×3/8	170	63	10 / 200
C7581011S	3/8×7/16	180	88	10 / 100
C7581113S	7/16×1/2	195	101	10 / 100
C7581314S	1/2×9/16	206	102	10 / 100
C7581416S	9/16×5/8	235	177	10 / 100
C7581617S	5/8×11/16	240	180	10 / 100
C7581619S	5/8×3/4	270	200	10 / 100
C7581719S	11/16×3/4	270	208	10 / 100
C7581922S	3/4×7/8	292	210	10 / 100
C7582122S	13/16×7/8	327	283	10 / 80
C7582224S	7/8×15/16	327	355	10 / 60
C7582425S	15/16×1	360	355	10 / 40
C7582527S	1×1-1/16	370	355	10 / 40
C7582932S	1-1/8×1-1/4	392	610	10 / 40



C755S Midget Combination Wrench

PARD NO.	Size (mm)		 (g)	
C755S08	8	91	25	20 / 400
C755S09	9	97	32	20 / 400
C755S10	10	97	32	20 / 160
C755S11	11	100	45	20 / 160
C755S12	12	105	47	20 / 160
C755S13	13	108	55	20 / 160
C755S14	14	115	67	20 / 160
C755S15	15	118	76	20 / 160
C755S16	16	122	88	10 / 200
C755S17	17	130	108	10 / 200
C755S18	18	133	115	10 / 80
C755S19	19	138	134	10 / 80

757 Open Wrench

PARD NO.	Size (mm)	 (g)	
75708	8	84	20 / 200
75710	10	84	20 / 200
75711	11	84	20 / 200
75712	12	84	20 / 200
75713	13	92	20 / 200
75714	14	92	20 / 200
75717	17	146	10 / 120
75719	19	158	10 / 100
75722	22	294	10 / 60
75724	24	300	10 / 60
75727	27	450	10 / 40
75730	30	500	10 / 40
75732	32	900	5 / 20



C758S Midget 45° Offset Ring Wrench


PARD NO.	Size (mm)		 (g)	
C758S0708	7×8	115	46	10 / 200
C758S0809	8×9	115	46	10 / 200
C758S0810	8×10	115	46	10 / 200
C758S1011	10×11	115	46	10 / 200
C758S1012	10×12	115	46	10 / 200
C758S1213	12×13	140	86	10 / 200
C758S1214	12×14	140	86	10 / 200
C758S1314	13×14	140	86	10 / 200
C758S1415	14×15	140	86	10 / 200
C758S1417	14×17	157	134	10 / 100
C758S1617	16×17	157	134	10 / 100
C758S1618	16×18	157	134	10 / 100
C758S1619	16×19	157	134	10 / 100
C758S1719	17×19	157	134	10 / 100
C758S1819	18×19	157	134	10 / 100

C758S Midget 45° Offset Ring Wrench

PARD NO.	Size (inch)		 (g)	
C758S1011S	3/8×7/16	115	46	10 / 100
C758S1314S	1/2×9/16	140	86	10 / 100
C758S1619S	5/8×3/4	157	134	10 / 100



C759 75° Offset Ring Wrench

PARD NO.	Size (mm)		 (g)	
C7590607	6×7	168	53	10 / 200
C7590608	6×8	168	64	10 / 200
C7590809	8×9	183	64	10 / 200
C7590810	8×10	183	64	10 / 200
C7591011	10×11	198	99	10 / 200
C7591012	10×12	198	101	10 / 120
C7591113	11×13	217	125	10 / 120
C7591213	12×13	217	131	10 / 120
C7591214	12×14	217	140	10 / 120
C7591315	13×15	239	150	10 / 120
C7591415	14×15	239	165	10 / 120
C7591417	14×17	260	199	10 / 120
C7591617	16×17	260	206	10 / 100
C7591618	16×18	260	206	10 / 100
C7591719	17×19	292	257	10 / 100
C7591819	18×19	292	258	10 / 80
C7591921	19×21	300	311	5 / 60
C7592022	20×22	318	319	5 / 60
C7592122	21×22	318	319	5 / 60
C7592123	21×23	327	388	5 / 50
C7592224	22×24	327	388	5 / 50
C7592326	23×26	329	486	5 / 40
C7592426	24×26	329	513	5 / 40
C7592427	24×27	329	527	5 / 40
C7592526	25×26	329	496	5 / 40
C7592528	25×28	347	567	5 / 40
C7592627	26×27	347	522	5 / 40
C7592628	26×28	347	534	5 / 40
C7592732	27×32	355	612	5 / 40
C7593032	30×32	362	664	5 / 30
C7593641	36×41	451	1130	5 / 20
C7593841	38×41	451	1130	5 / 20
C7594650	46×50	526	1820	5 / 20

C759S 75° Offset Ring Wrench

PARD NO.	Size (inch)		 (g)	
C7590608S	1/4×5/16	168	47	10 / 200
C7591011S	3/8×7/16	198	91	10 / 200
C7591314S	1/2×9/16	217	131	10 / 120
C7591617S	5/8×11/16	260	188	10 / 100
C7591619S	5/8×3/4	292	193	10 / 80
C7591922S	3/4×7/8	300	309	5 / 60
C7592122S	13/16×7/8	318	310	5 / 60
C7592224S	7/8×15/16	327	372	5 / 50
C7592425S	15/16×1	329	458	5 / 40
C7592529S	1×1-1/8	347	458	5 / 40
C7592729S	1-1/16×1-1/8	347	540	5 / 40
C7592732S	1-1/16×1-1/4	355	651	5 / 30
C7592932S	1-1/8×1-1/4	362	616	5 / 30



C760 Extra-Long Offset Ring Wrench

PARD NO.	Size (mm)		 (g)	
C7600810	8×10	235	87	20 / 200
C7601012	10×12	295	124	10 / 100
C7601214	12×14	330	200	10 / 60
C7601315	13×15	370	333	10 / 60
C7601417	14×17	370	333	10 / 60
C7601618	16×18	405	458	10 / 40
C7601719	17×19	405	447	10 / 40
C7602224	22×24	435	602	10 / 40



C761 Half-Moon Ring Wrench

PARD NO.	Size (mm)		 (g)	
C7610810	8×10	141	56	10 / 100
C7611012	10×12	141	65	10 / 100
C7611113	11×13	166	104	10 / 100
C7611214	12×14	166	93	10 / 80
C7611315	13×15	190	134	10 / 80
C7611417	14×17	190	141	10 / 80
C7611618	16×18	220	190	10 / 80
C7611719	17×19	220	190	10 / 80
C7611922	19×22	256	240	10 / 80



C762 S-Form Ring Wrench

PARD NO.	Size (mm)		 (g)	
C7621012	10×12	124	56	20 / 200
C7621113	11×13	138	56	20 / 200
C7621415	14×15	165	100	10 / 200
C7621618	16×18	200	164	10 / 100
C7621719	17×19	210	198	10 / 100
C7622224	22×24	270	240	5 / 80



C762S S-Form Ring Wrench

PARD NO.	Size (inch)		 (g)	
C7621113S	7/16×1/2	142	56	20 / 200
C7621415S	9/16×5/8	188	100	20 / 200
C7621719S	11/16×3/4	237	198	10 / 100
C7622224S	7/8×15/16	270	296	5 / 80



76301 Wheel Nut Wrench

PARD NO.	Size (mm)	Size (inch)	(mm)	(g)	
76301	17; 19; 21	1/2"	400	1700	12

- Features:
- Chrome vanadium alloy steel
 - For most car wheel nuts in metric
 - Polished, chrome plated



76302 Wheel Nut Wrench

PARD NO.	Size (mm)	Size (inch)	(mm)	(g)	
76302	24; 27; 32	3/4"	700	4333	6

- Features:
- Chrome vanadium alloy steel
 - For most car wheel nuts in metric



C791 MIT 15° Combination Wrench

PARD NO.	Size (mm)	Size (inch)	Star	(g)		
C79106	6	-	E8	105	21	20 / 400
C79107	7	9/32	-	115	23	20 / 400
C79108	8	5/16	E10	125	26	20 / 400
C79109	9	11/32	E11	135	26	10 / 200
C79110	10	3/8	E12	145	39	10 / 200
C79111	11	7/16	E14	155	52	10 / 200
C79112	12	15/32	-	165	64	10 / 200
C79113	13	1/2	E16	175	68	10 / 200
C79114	14	9/16	E18	185	87	10 / 120
C79115	15	19/32	-	195	102	10 / 120
C79116	16	5/8	E20	205	114	10 / 120
C79117	17	21/32	-	215	135	10 / 120
C79118	18	11/16	E22	225	154	10 / 120
C79119	19	3/4	E24	235	178	10 / 120
C79120	20	25/32	-	245	192	10 / 120
C79121	21	13/16	E26	255	216	10 / 80
C79122	22	7/8	E28	265	237	5 / 80
C79123	23	29/32	E28	275	282	5 / 60
C79124	24	15/16	E30	285	309	5 / 60
C79125	25	31/32	E32	295	314	5 / 60
C79126	26	1	E32	305	344	5 / 60
C79127	27	1-1/16	E34	315	369	5 / 60
C79128	28	1-3/32	E36	325	412	5 / 60
C79129	29	1-1/8	E36	335	441	5 / 40
C79130	30	1-3/16	E38	345	454	5 / 40
C79132	32	1-1/4	E40	355	464	5 / 40



C792 MIT 45° Combination Wrench

PARD NO.	Size (mm)	Size (inch)	Star	(g)		
C79206	6	-	E8	110	15	20 / 400
C79207	7	9/32	-	120	19	20 / 400
C79208	8	5/16	E10	130	24	20 / 400
C79209	9	11/32	E11	140	30	10 / 200
C79210	10	3/8	E12	150	35	10 / 200
C79211	11	7/16	E14	160	47	10 / 200
C79212	12	15/32	-	170	54	10 / 200
C79213	13	1/2	E16	180	68	10 / 200
C79214	14	9/16	E18	190	79	10 / 120
C79215	15	19/32	-	200	89	10 / 120
C79216	16	5/8	E20	210	110	10 / 120
C79217	17	-	-	220	124	10 / 120
C79218	18	11/16	E22	230	149	10 / 120
C79219	19	3/4	E24	240	166	10 / 120
C79220	20	25/32	-	250	185	10 / 120
C79221	21	13/16	E26	260	217	10 / 80
C79222	22	7/8	E28	270	227	5 / 80
C79223	23	-	E28	280	244	5 / 60
C79224	24	15/16	E30	290	293	5 / 60
C79225	25	-	E32	300	287	5 / 60
C79226	26	1	E32	310	348	5 / 60
C79227	27	1-1/16	E34	320	374	5 / 60
C79228	28	1-3/32	E36	330	303	5 / 60
C79229	29	1-1/8	E36	340	504	5 / 40
C79230	30	1-3/16	E38	350	475	5 / 40
C79232	32	1-1/4	E40	370	580	5 / 40



C793 MIT 75° Offset Ring Wrench

PARD NO.	Size (mm)	Size (inch)	Star	(g)		
C7930607	6×7	9/32	E8	168	40	10 / 200
C7930809	8×9	5/16×11/32	E10×E11	183	59	10 / 200
C7930810	8×10	5/16×3/8	E10×E12	186	60	10 / 200
C7931011	10×11	3/8×7/16	E12×E14	198	67	10 / 200
C7931213	12×13	15/32×1/2	E16	217	120	10 / 120
C7931214	12×14	15/32×9/16	E18	217	130	10 / 120
C7931415	14×15	9/16×19/32	E18	239	157	10 / 120
C7931617	16×17	5/8	E20	260	205	10 / 100
C7931719	17×19	3/4	E24	292	259	10 / 100
C7931819	18×19	11/16×3/4	E22×E24	292	271	10 / 80
C7931921	19×21	3/4×13/16	E24×E26	318	335	5 / 60
C7932022	20×22	25/32×7/8	E28	318	359	5 / 60
C7932123	21×23	13/16×29/32	E26×E28	330	409	5 / 50
C7932426	24×26	15/16×1	E30×E32	345	518	5 / 40
C7932427	24×27	15/16×1-1/16	E30×E34	345	520	5 / 40
C7932528	25×28	1-3/32	E32×E36	355	552	5 / 40
C7932729	27×29	1-1/16×1-1/8	E34×E36	365	610	5 / 40
C7933032	30×32	1-3/16×1-1/4	E38×E40	370	675	5 / 30

HEX KEY
series



764 Hex Key

PARD NO.					
7640127	1.27	12	40	2	200
764015	1.5	14	45	2	200
76402	2	16	50	2	200
764025	2.5	18	56	4	150
76403	3	20	63	6	150
764035	3.5	20	63	6	100
76404	4	25	70	10	100
764045	4.5	28	80	10	50
76405	5	28	80	20	50
764055	5.5	30	85	24	50
76406	6	32	90	30	50
76407	7	34	95	44	20
76408	8	36	100	60	20
76409	9	38	105	90	20
76410	10	40	112	105	20
76411	11	45	125	140	20
76412	12	45	125	183	20
76413	13	50	132	207	10
76414	14	56	140	292	10
76416	16	60	160	390	5
76417	17	63	160	527	5
76419	19	70	180	674	5
76422	22	80	200	991	5
76424	24	90	224	1344	5
76427	27	100	250	1770	5
76430	30	112	280	2372	5
76432	32	125	315	3162	5
76436	36	140	355	4475	5

764 Hex Key

PARD NO.					
7641.16	1/16	14	45	1	200
7645.64	5/64	16	50	2	200
7643.32	3/32	18	56	3	150
7647.64	7/64	19	59	4	150
7641.8	1/8	20	63	6	150
7649.64	9/64	22	65	7	150
7645.32	5/32	25	70	10	100
7643.16	3/16	28	80	17	50
7647.32	7/32	30	85	24	50
7641.4	1/4	32	90	34	50
7649.32	9/32	34	95	44	20
7645.16	5/16	36	100	59	20
7643.8	3/8	40	112	97	20
7647.16	7/16	45	125	153	20
7641.2	1/2	50	132	219	10
7649.16	9/16	55	140	303	10
7645.8	5/8	60	160	402	5
7643.4	3/4	70	180	640	5
7647.8	7/8	80	220	953	5
7641.0	1"	90	224	1366	5



764L Long Hex Key

PARD NO.					
7640127L	1.27	14	68	4	200
764015L	1.5	15	74	4	200
76402L	2	16	80	4	200
764025L	2.5	18	87	5	150
76403L	3	20	96	8	150
764035L	3.5	22	101	12	100
76404L	4	24	107	14	100
764045L	4.5	26	114	20	50
76405L	5	28	120	25	50
764055L	5.5	30	128	34	50
76406L	6	32	136	41	50
76407L	7	34	145	68	20
76408L	8	36	154	84	20
76409L	9	38	156	114	20
76410L	10	40	172	144	20
76411L	11	42	186	188	20
76412L	12	45	190	299	20
76413L	13	50	200	388	10
76414L	14	56	210	460	10
76416L	16	58	240	521	5
76417L	17	63	235	779	5
76419L	19	70	260	1096	5

PARD NO.					
7641.16L	1/16	15	74	4	200
7645.64L	5/64	16	80	4	200
7643.32L	3/32	18	87	6	150
7641.8L	1/8	20	96	8	100
7645.32L	5/32	24	107	14	100
7643.16L	3/16	28	120	25	50
7641.4L	1/4	32	136	41	50
7645.16L	5/16	36	154	84	20
7643.8L	3/8	40	172	142	20
7641.2L	1/2	45	190	250	10
7649.16L	9/16	56	210	355	10
7645.8L	5/8	63	235	550	5
7643.4L	3/4	98	260	810	5





764XL Extra Long Hex Key

PARD NO.					
7640127XL	1.27	12	80	4	200
764015XL	1.5	14	90	4	200
76402XL	2	16	100	6	200
764025XL	2.5	18	112	6	150
76403XL	3	20	126	10	150
764035XL	3.5	22	132	12	100
76404XL	4	25	140	18	100
764045XL	4.5	26	150	24	50
76405XL	5	28	160	33	50
764055XL	5.5	30	170	40	50
76406XL	6	32	180	53	50
76407XL	7	34	190	75	20
76408XL	8	36	200	103	20
76409XL	9	38	210	137	20
76410XL	10	40	224	180	20
76411XL	11	40	240	230	20
76412XL	12	45	250	300	20
76413XL	13	50	260	356	10
76414XL	14	56	280	452	10
76416XL	16	58	300	627	5
76417XL	17	63	320	784	5
76419XL	19	70	360	1095	5

PARD NO.					
7641.16XL	1/16	14	90	4	200
7645.64XL	5/64	16	100	4	200
7643.32XL	3/32	18	112	6	150
7641.8XL	1/8	20	126	10	100
7645.32XL	5/32	25	140	18	100
7643.16XL	3/16	28	160	32	50
7641.4XL	1/4	32	180	52	50
7645.16XL	5/16	36	200	104	20
7643.8XL	3/8	40	224	175	20
7647.16XL	7/16	40	240	230	10
7641.2XL	1/2	50	260	356	10
7643.4XL	3/4	70	360	1095	5
7649.16XL	9/16	55	280	465	10
7645.8XL	5/8	63	320	660	5

HEX KEY

series



S764L Striped Long Hex Key

PARD NO.					
S764015L	1.5	14	77	1.4	200
S76402L	2	16	83	2.5	200
S764025L	2.5	18	90	4.3	150
S76403L	3	20	96	6.8	150
S764035L	3.5	22	102	10	100
S76404L	4	24	105	13.5	100
S764045L	4.5	25	112	19	50
S76405L	5	26	115	26	50
S764055L	5.5	28	124	32	50
S76406L	6	30	133	40	50
S76407L	7	33	137	57	20
S76408L	8	36	154	83	20
S76409L	9	38	156	114	20
S76410L	10	40	170	143	20
S76412L	12	45	206	251	20
S76414L	14	54	230	385	10
S76417L	17	60	250	615	5
S76419L	19	70	280	876	5

S764L Striped Long Hex Key

PARD NO.					
S7641.16L	1/16	14	77	1.4	200
S7645.64L	5/64	16	83	2.5	200
S7643.32L	3/32	18	90	4.6	150
S7641.8L	1/8	20	96	7.4	100
S7645.32L	5/32	24	105	13.5	100
S7643.16L	3/16	26	115	20.7	50
S7647.32L	7/32	28	124	30.5	50
S7641.4L	1/4	30	133	43.5	20
S7645.16L	5/16	36	154	77.4	20
S7643.8L	3/8	40	170	125	20
S7641.2L	1/2	45	206	276	10
S7649.16L	9/16	56	230	400	10
S7645.8L	5/8	60	250	540	5
S7643.4L	3/4	70	280	876	5

S764XL Striped Extra Long Hex Key

PARD NO.					
S764015XL	1.5	14	90	1.5	200
S76402XL	2	15	100	3	200
S764025XL	2.5	18	112	5.3	150
S76403XL	3	20	126	8.3	150
S764035XL	3.5	22	134	13	100
S76404XL	4	25	140	18	100
S764045XL	4.5	26	150	24	50
S76405XL	5	28	160	32	50
S764055XL	5.5	30	170	41	50
S76406XL	6	32	180	51	50
S76407XL	7	34	190	76	20
S76408XL	8	36	200	102	20
S76409XL	9	38	210	136	20
S76410XL	10	40	224	178	20
S76412XL	12	45	250	290	20
S76414XL	14	55	280	450	10
S76417XL	17	63	320	753	5
S76419XL	19	70	360	1060	5

S764XL Striped Extra Long Hex Key

PARD NO.					
S7641.16XL	1/16	14	90	1.5	200
S7645.64XL	5/64	15	100	3	200
S7643.32XL	3/32	18	112	4.7	150
S7641.8XL	1/8	20	126	9.5	100
S7645.32XL	5/32	25	142	17	100
S7643.16XL	3/16	28	160	28	50
S7647.32XL	7/32	30	170	40	50
S7641.4XL	1/4	32	180	56	20
S7645.16XL	5/16	36	200	98	20
S7643.8XL	3/8	40	224	159	20
S7641.2XL	1/2	45	250	325	10
S7649.16XL	9/16	55	280	466	10
S7645.8XL	5/8	63	320	660	5
S7643.4XL	3/4	70	360	1073	5

764LS Stubby Long Hex Key

PARD NO.					
764015LS	1.5	4	77	1.4	200
76402LS	2.0	5	83	2.5	200
764025LS	2.5	5	90	4	150
76403LS	3.0	6	96	6.3	150
76404LS	4.0	8	105	14	100
76405LS	5.0	10	115	22	50
76406LS	6.0	10	133	35	50
76407LS	7.0	12	141	51	20
76408LS	8.0	12	154	72	20
76410LS	10	16	170	128	20

764LS Stubby Long Hex Key

PARD NO.					
7641.16LS	1/16	4	77	1.4	200
7645.64LS	5/64	5	83	2.5	200
7643.32LS	3/32	5	90	4	150
7641.8LS	1/8	6	96	7	150
7645.32LS	5/32	8	105	14	100
7643.16LS	3/16	9	115	21	50
7647.32LS	7/32	10	124	28	50
7641.4LS	1/4	10	133	40	50
7645.16LS	5/16	12	154	72	20
7643.8LS	3/8	16	170	117	20

764XLS Stubby Extra Long Hex Key

PARD NO.					
764015XLS	1.5	4	90	1.5	200
76402XLS	2	4	100	3	200
764025XLS	2.5	5	112	5	150
76403XLS	3	6	126	8	150
76404XLS	4	8	142	17	100
76405XLS	5	10	160	30	50
76406XLS	6	10	180	48	50
76407XLS	7	12	190	70	20
76408XLS	8	12	200	95	20
76410XLS	10	16	224	165	20

764XLS Stubby Extra Long Hex Key

PARD NO.					
7641.16XLS	1/16	4	90	1.6	200
7645.64XLS	5/64	5	100	3	200
7643.32XLS	3/32	5	112	5	150
7641.8XLS	1/8	6	126	9	150
7645.32XLS	5/32	8	142	17	100
7643.16XLS	3/16	10	160	27	50
7647.32XLS	7/32	10	170	38	50
7641.4XLS	1/4	10	180	53	50
7645.16XLS	5/16	12	200	95	20
7643.8XLS	3/8	16	224	150	20

HEX KEY

series




764HT Tamperproof Hex Key

PARD NO.					
76403HT	3	20	63	6	150
76404HT	4	25	70	10	100
76405HT	5	28	80	20	50
764055HT	5.5	30	85	24	50
76406HT	6	32	90	30	50
76408HT	8	36	100	60	20
76410HT	10	40	112	105	20



764T T- Shape Hex Key

PARD NO.					
76402T	2	62	125	20	20 / 160
764025T	2.5	62	125	20	20 / 160
76403T	3	75	150	24	20 / 160
764035T	3.5	75	150	25	20 / 160
76404T	4	90	180	60	20 / 160
764045T	4.5	90	180	65	20 / 160
76405T	5	90	180	68	20 / 160
76406T	6	105	210	135	20 / 160
76407T	7	105	210	140	20 / 160
76408T	8	125	250	210	20 / 120
76409T	9	140	280	330	20 / 120
76410T	10	150	300	420	5 / 60
76412T	12	160	320	600	5 / 40



765L Ball Point Long Hex Key

PARD NO.					
7650127L	1.27	14	68	0.9	200
765015L	1.5	15	74	1.4	200
76502L	2	16	80	2.5	200
765025L	2.5	18	87	4.3	150
76503L	3	20	96	6.8	150
76504L	4	24	107	13.5	100
76505L	5	28	120	23	50
765055L	5.5	30	128	30.3	50
76506L	6	32	136	38.7	50
76507L	7	34	145	57	20
76508L	8	36	154	79	20
76510L	10	40	172	138	20
76512L	12	45	190	251	20
76514L	14	56	210	385	10
76517L	17	63	235	616	5
76519L	19	70	260	864	5

765L Ball Point Long Hex Key

PARD NO.					
7651.16L	1/16	15	74	1.4	200
7655.64L	5/64	16	80	2.5	200
7653.32L	3/32	18	87	3.8	150
7651.8L	1/8	20	96	7.4	100
7655.32L	5/32	24	107	13.5	100
7653.16L	3/16	28	120	20.7	50
7657.32L	7/32	30	130	30.5	50
7651.4L	1/4	32	136	43.5	50
7655.16L	5/16	36	154	77.0	20
7653.8L	3/8	40	172	125	20
7651.2L	1/2	45	190	201	10
7659.16L	9/16	56	210	385	10
7655.8L	5/8	63	235	550	5
7653.4L	3/4	70	260	810	5




765XL Ball Point Extra Long Hex Key

PARD NO.					
7650127XL	1.27	14	80	1.4	200
765015XL	1.5	15	90	1.5	200
76502XL	2	16	100	3	200
765025XL	2.5	18	112	5.3	150
76503XL	3	20	126	8.3	150
76504XL	4	24	140	17.6	100
76505XL	5	28	160	31	50
765055XL	5.5	30	170	40	50
76506XL	6	32	180	51	50
76507XL	7	34	190	76	20
76508XL	8	36	200	101	20
76510XL	10	40	224	175	20
76512XL	12	45	250	293	20
76514XL	14	55	280	450	10
76517XL	17	63	320	753	5
76519XL	19	70	360	1073	5

765XL Ball Point Extra Long Hex Key

PARD NO.					
7651.16XL	1/16	53	126	1.5	200
7655.64XL	5/64	53	126	3	200
7653.32XL	3/32	68	183	4.7	150
7651.8XL	1/8	68	183	9.5	100
7655.32XL	5/32	82	240	17	100
7653.16XL	3/16	82	240	28	50
7657.32XL	7/32	82	240	40	50
7651.4XL	1/4	82	240	56	50
7655.16XL	5/16	82	240	98	20
7653.8XL	3/8	82	240	159	20
7651.2XL	1/2	45	250	293	20
7659.16XL	9/16	55	280	457	10
7655.8XL	5/8	63	320	660	5
7653.4XL	3/4	70	360	1073	5



765LBB Ball & Ball Point Long Hex Key

PARD NO.					
76503LBB	3	20	96	6.8	150
76504LBB	4	24	105	13.5	100
76505LBB	5	26	115	26	50
76506LBB	6	30	133	40	50
76508LBB	8	36	154	83	20
76510LBB	10	40	170	143	20

PARD NO.					
7651.8LBB	1/8	20	96	7.4	100
7655.32LBB	5/32	24	105	13.5	100
7653.16LBB	3/16	26	115	20.7	50
7657.32LBB	7/32	28	124	30.5	
7651.4LBB	1/4	30	133	43.5	50
7655.16LBB	5/16	36	154	77	20
7653.8LBB	3/8	40	170	125	20

765XLBB Ball & Ball Point Extra Long Hex Key

PARD NO.					
76503XLBB	3	20	126	8.3	150
76504XLBB	4	25	142	17.6	100
76505XLBB	5	28	160	31	50
76506XLBB	6	32	180	51	50
76508XLBB	8	36	200	101	20
76510XLBB	10	40	224	175	20



PARD NO.					
7651.8XLBB	1/8	20	126	9.5	100
7655.32XLBB	5/32	25	142	17	100
7653.16XLBB	3/16	28	160	28	50
7657.32XLBB	7/32	30	170	40	
7651.4XLBB	1/4	32	180	56	50
7655.16XLBB	5/16	36	200	98	20
7653.8XLBB	3/8	40	224	159	20

HEX KEY

series



PARD®



S765L Striped Ball Point Long Hex Key

PARD NO.					
S765015L	1.5	14	77	1.4	200
S76502L	2	16	83	2.5	200
S765025L	2.5	18	90	4.3	150
S76503L	3	20	96	6.8	150
S76504L	4	24	105	13.5	100
S76505L	5	26	115	26	50
S76506L	6	30	133	40	50
S76507L	7	34	137	57	20
S76508L	8	36	154	83	20
S76510L	10	40	170	143	20
S76512L	12	45	206	251	20
S76514L	14	54	230	385	10
S76517L	17	60	250	615	5
S76519L	19	70	280	876	5

S765L Striped Ball Point Long Hex Key

PARD NO.					
S7651.16L	1/16	14	77	1.4	200
S7655.64L	5/64	16	83	2.5	200
S7653.32L	3/32	18	90	4.6	150
S7651.8L	1/8	20	96	7.4	100
S7655.32L	5/32	24	105	13.5	100
S7653.16L	3/16	26	115	20.7	50
S7657.32L	7/32	28	124	30.5	50
S7651.4L	1/4	30	133	43.5	20
S7655.16L	5/16	36	154	77.4	20
S7653.8L	3/8	40	170	125	20
S7651.2L	1/2	45	207	276	10
S7659.16L	9/16	56	230	400	10
S7655.8L	5/8	60	250	540	5
S7653.4L	3/4	70	280	876	5

S765XL Striped Ball Point Extra Long Hex Key

PARD NO.					
S765015XL	1.5	14	90	1.5	200
S76502XL	2	15	100	3	200
S765025XL	2.5	18	112	5.3	150
S76503XL	3	20	126	8.3	150
S76504XL	4	25	142	17.6	100
S76505XL	5	28	160	31	50
S76506XL	6	32	180	51	50
S76507XL	7	34	190	76	20
S76508XL	8	36	200	101	20
S76510XL	10	40	224	175	20
S76512XL	12	45	250	293	20
S76514XL	14	55	280	450	10
S76517XL	17	63	320	753	5
S76519XL	19	70	360	1073	5

S765XL Striped Ball Point Extra Long Hex Key

PARD NO.					
S7651.16XL	1/16	14	90	1.5	200
S7655.64XL	5/64	15	100	3	200
S7653.32XL	3/32	18	112	5.3	150
S7651.8XL	1/8	20	126	8.3	100
S7655.32XL	5/32	25	142	17.6	100
S7653.16XL	3/16	28	160	31	50
S7657.32XL	7/32	30	170	51	50
S7651.4XL	1/4	32	180	76	20
S7655.16XL	5/16	36	200	101	20
S7653.8XL	3/8	40	224	175	20
S7651.2XL	1/2	45	250	293	10
S7659.16XL	9/16	55	280	450	10
S7655.8XL	5/8	63	320	753	5
S7653.4XL	3/4	70	360	1073	5

765LS Stubby Ball Point Long Hex Key

PARD NO.					
765015LS	1.5	4	77	1.4	200
76502LS	2	5	83	2.5	200
765025LS	2.5	5	90	4	150
76503LS	3	6	96	6.3	150
76504LS	4	8	105	14	100
76505LS	5	10	115	22	50
76506LS	6	10	133	35	50
76507LS	7	12	141	51	20
76508LS	8	12	154	72	20
76510LS	10	16	170	128	20

765LS Stubby Ball Point Long Hex Key

PARD NO.					
7651.16LS	1/16	4	77	1.4	200
7655.64LS	5/64	5	83	2.5	200
7653.32LS	3/32	5	90	4	150
7651.8LS	1/8	6	96	7	150
7655.32LS	5/32	8	105	14	100
7653.16LS	3/16	9	115	21	50
7657.32LS	7/32	10	124	28	50
7651.4LS	1/4	10	133	40	20
7655.16LS	5/16	12	154	72	20
7653.8LS	3/8	16	170	117	20

765XLS Stubby Ball Point Extra Long Hex Key

PARD NO.					
765015XLS	1.5	4	90	1.5	200
76502XLS	2	5	100	3	200
765025XLS	2.5	5	112	5	150
76503XLS	3	6	126	8	150
76504XLS	4	8	142	17	100
76505XLS	5	10	160	30	50
76506XLS	6	10	180	48	50
76507XLS	7	12	190	70	20
76508XLS	8	12	200	95	20
76510XLS	10	16	224	165	20

765XLS Stubby Ball Point Extra Long Hex Key

PARD NO.					
7651.16XLS	1/16	4	90	1.6	200
7655.64XLS	5/64	5	100	3	200
7653.32XLS	3/32	5	112	5	150
7651.8XLS	1/8	6	126	9	150
7655.32XLS	5/32	8	142	17	100
7653.16XLS	3/16	9	160	27	50
7657.32XLS	7/32	10	170	38	50
7651.4XLS	1/4	10	180	53	20
7655.16XLS	5/16	12	200	95	20
7653.8XLS	3/8	16	224	150	20

HEX KEY

series



765G Ball Point Grip Hex Key

PARD NO.			blade	width	(g)	
76502G	2		53	126	18	10 / 120
765025G	2.5		53	126	20	10 / 120
76503G	3		53	126	24	10 / 120
76504G	4		68	183	48	10 / 120
76505G	5		68	183	62	10 / 120
76506G	6		82	240	114	10 / 120
76507G	7		82	240	140	10 / 120
76508G	8		82	240	174	10 / 120
76510G	10		82	240	250	10 / 80
76512G	12		82	240	365	10 / 80

765G Ball Point Grip Hex Key

PARD NO.			blade	width	(g)	
7655.64G	5/64		53	126	18	10 / 120
7653.32G	3/32		53	126	20	10 / 120
7651.8G	1/8		53	126	24	10 / 120
7655.32G	5/32		68	183	48	10 / 120
7653.16G	3/16		68	183	62	10 / 120
7657.32G	7/32		82	240	114	10 / 120
7651.4G	1/4		82	240	140	10 / 120
7655.16G	5/16		82	240	174	10 / 120
7653.8G	3/8		82	240	250	10 / 80
7651.2G	1/2		82	240	365	10 / 80

766 Star Key

PARD NO.				(g)	
76606	T6	11	40	2	200
76607	T7	12	44	2	200
76608	T8	15	50	3.5	200
76609	T9	18	55	3.5	200
76610	T10	20	60	4	200
76615	T15	22	64	6	100
76620	T20	23	68	8.4	100
76625	T25	24	72	12	100
76627	T27	25	78	15	100
76630	T30	26	83	20	50
76640	T40	28	89	33	50
76645	T45	31	96	48.1	50
76650	T50	35	105	67	20
76655	T55	40	116	115	20
76660	T60	45	125	190	10
76670	T70	45	198	318	5
76680	T80	50	205	498	5

766L Star Long Key

PARD NO.				(g)	
76606L	T6	16	66	2.8	200
76607L	T7	16	71	3.1	200
76608L	T8	16	76	4.9	200
76609L	T9	16	80	5.2	200
76610L	T10	17	86	6.0	200
76615L	T15	18	90	8.0	100
76620L	T20	19	95	11	100
76625L	T25	20	100	15	100
76627L	T27	21	105	20	100
76630L	T30	24	114	31	50
76640L	T40	26	124	44	50
76645L	T45	29	137	65	50
76650L	T50	32	152	90	20
76655L	T55	35	171	184	20
76660L	T60	38	190	275	10

766XL Star Extra Long Key

PARD NO.				(g)	
76606XL	T6	11	68	3	200
76607XL	T7	11	73	3	200
76608XL	T8	12	77	3	200
76609XL	T9	14	82	5	200
76610XL	T10	14	90	5.1	200
76615XL	T15	16	100	8.0	100
76620XL	T20	18	112	12	100
76625XL	T25	20	126	17	100
76627XL	T27	25	142	25	100
76630XL	T30	28	160	40	50
76640XL	T40	32	180	61	50
76645XL	T45	36	200	90	50
76650XL	T50	40	224	127	20
76655XL	T55	45	250	246	20
76660XL	T60	55	280	384	20



766LB Star & Star Ball Point Long L Key

PARD NO.					(g)	
76610LB	T10		17	86	6.0	200
76615LB	T15		18	90	8.0	100
76620LB	T20		19	95	11	100
76625LB	T25		20	100	15	100
76627LB	T27		21	105	20	100
76630LB	T30		24	114	31	50
76640LB	T40		26	124	44	50
76645LB	T45		29	137	65	50
76650LB	T50		32	152	90	20



766T T-Shape Star Key

PARD NO.		blade	width	(g)	
76606T	T6	62	125	20	20 / 160
76607T	T7	62	125	20	20 / 160
76608T	T8	62	125	20	20 / 160
76609T	T9	62	125	20	20 / 160
76610T	T10	75	150	25	20 / 160
76615T	T15	75	150	25	20 / 160
76620T	T20	75	150	25	20 / 160
76625T	T25	90	180	60	20 / 160
76627T	T27	90	180	60	20 / 160
76630T	T30	90	180	62	20 / 160
76640T	T40	105	210	135	20 / 160
76645T	T45	105	210	138	20 / 120
76650T	T50	125	250	220	20 / 120
76655T	T55	150	300	450	5 / 60
76660T	T60	150	320	650	5 / 40

HEX KEY

series

PARD®



767 Star Tamperproof Key

PARD NO.				(g)	
76706	T6H	11	40	2	200
76707	T7H	12	44	2	200
76708	T8H	15	50	3.5	200
76709	T9H	18	55	3.5	200
76710	T10H	20	60	4	200
76715	T15H	22	64	6	100
76720	T20H	23	68	8.4	100
76725	T25H	24	72	12	100
76727	T27H	25	78	15	100
76730	T30H	26	83	20	50
76740	T40H	28	89	33	50
76745	T45H	31	96	48.1	50
76750	T50H	35	105	67	20
76755	T55H	40	116	115	20
76760	T60H	45	125	190	10

767L Star Tamperproof Long Key

PARD NO.				(g)	
76706L	T6H	16	66	2.8	200
76707L	T7H	16	71	3.1	200
76708L	T8H	16	76	4.9	200
76709L	T9H	16	80	5.2	200
76710L	T10H	17	86	6.0	200
76715L	T15H	18	90	8.0	100
76720L	T20H	19	95	11	100
76725L	T25H	20	100	15	100
76727L	T27H	21	105	20	100
76730L	T30H	24	114	31	50
76740L	T40H	26	124	44	50
76745L	T45H	29	137	65	50
76750L	T50H	32	152	90	20
76755L	T55H	35	171	184	20
76760L	T60H	38	190	275	10

767XL Star Tamperproof Extra Long Key

PARD NO.				(g)	
76706XL	T6H	11	68	3	200
76707XL	T7H	11	73	3	200
76708XL	T8H	12	77	3	200
76709XL	T9H	14	82	5	200
76710XL	T10H	14	90	5.1	200
76715XL	T15H	16	100	8.0	100
76720XL	T20H	18	112	12	100
76725XL	T25H	20	126	17	100
76727XL	T27H	25	142	25	100
76730XL	T30H	28	160	40	50
76740XL	T40H	32	180	61	50
76745XL	T45H	36	200	90	50
76750XL	T50H	40	224	127	20
76755XL	T55H	45	250	246	20
76760XL	T60H	55	280	384	20



767G Star Tamperproof Grip Key

PARD NO.		blade	width	(g)	
76710G	T10×T10H	53	126	22	10 / 120
76715G	T15×T15H	53	126	26	10 / 120
76720G	T20×T20H	68	126	30	10 / 120
76725G	T25×T25H	68	133	46	10 / 120
76727G	T27×T27H	68	133	52	10 / 120
76730G	T30×T30H	82	190	96	10 / 120
76740G	T40×T40H	82	190	116	10 / 120
76745G	T45×T45H	82	190	140	10 / 120
76750G	T50×T50H	82	190	166	10 / 120



768XL Five-Sided Star Extra Long Key

PARD NO.				(g)	
76809XL	TS9	16	51	5	200
76810XL	TS10	19	53	5	200
76815XL	TS15	21	57	8	100
76820XL	TS20	23	61	12	100
76825XL	TS25	25	65	18	100
76827XL	TS27	26	68	24	100
76830XL	TS30	29	75	39	50
76840XL	TS40	33	92	61	50
76845XL	TS45	36	90	90	50
76850XL	TS50	40	104	128	20



769XL Five-Sided Star Tamperproof Extra Long Key

PARD NO.				(g)	
76909XL	TS9H	16	51	5	200
76910XL	TS10H	19	53	5	200
76915XL	TS15H	21	57	8	100
76920XL	TS20H	23	61	12	100
76925XL	TS25H	25	65	18	100
76927XL	TS27H	26	68	24	100
76930XL	TS30H	29	75	39	50
76940XL	TS40H	33	92	61	50
76945XL	TS45H	36	90	90	50
76950XL	TS50H	40	104	128	20



772 Spline L Key

PARD NO.				(g)	
77203	M3	18	54	4	100
77204	M4	20	63	8	100
77205	M5	25	72	15	100
77206	M6	28	80	23	100
77208	M8	32	90	40	50
77209	M9	34	95	67	20
77210	M10	36	100	90	20
77212	M12	40	112	130	20
77214	M14	45	125	200	5
77216	M16	55	140	310	5
77218	M18	55	140	350	5
77203XL	M3	14	90	7	100
77204XL	M4	18	110	15	100
77205XL	M5	25	142	30	100
77206XL	M6	28	160	43	50
77208XL	M8	32	180	86	20
77209XL	M9	36	200	120	20
77210XL	M10	40	215	162	10
77212XL	M12	45	230	230	5



773 Chave L Ribe Extra Longa

PARD NO.				(g)	
77303XL	M3	10	100	6	100
77304XL	M4	18	112	13	100
77305XL	M5	20	126	25	50
77306XL	M6	25	142	38	50
77307XL	M7	28	160	61	20
77308XL	M8	32	180	85	20
77309XL	M9	36	200	121	20
77310XL	M10	40	224	166	5
77311XL	M11	43	238	215	5
77312XL	M12	45	250	268	5
77313XL	M13	450	260	350	5
77314XL	M14	55	280	415	4
77316XL	M16	63	310	604	4
77318XL	M18	70	340	840	4

WRENCH

series

PARD®



770 Single Ended Ring Spanner

PARD NO.	Size (mm)	blade	width	(g)	
770024	24	46	250	1260	16
770027	27	46	250	1300	16
770030	30	51	270	1465	14
770032	32	51	270	1505	14
770036	36	60	300	1800	12
770038	38	60	300	1760	12
770041	41		320	2640	8
770043	43	70	320	2580	8
770046	46	70	360	3300	8
770050	50	80	360	3440	6
770055	55	80	360	3440	6
770060	60	90.5	360	3560	6
770065	65	90.5	380	5500	4
770070	70	110	380	7000	4
770075	75	110	420	7460	2
770080	80	128	420	7600	2
770085	85	128	450	8000	2
770090	90	153	450	10750	1
770095	95	153	500	13420	1
770100	100	165	500	13560	1
770105	105	165	515	13920	1
770110	110				1
770115	115	173	515	14260	1



771 Single Ended Ring Spanner

PARD NO.	Size (mm)	blade	width	(g)	
771350	350 mm	50			10
771580	580 mm	70			10
771850	850 mm	100			10

771 Single Ended Ring Spanner

PARD NO.	Size (mm)	blade	width	(g)	
771024	24	46	195	640	32
771027	27	46	195	600	32
771030	30	51	200	745	28
771032	32	51	200	705	28
771036	36	60	216	1040	20
771038	38	60	216	1020	20
771041	41	70	247	1360	14
771043	43	70	247	1320	14
771046	46	80	274	1860	10
771050	50	80	274	1800	10
771055	55	90.5	287	1800	10
771060	60	90.5	300	2120	8
771065	65	110	309	2340	6
771070	70	110	309	3500	6
771075	75	128	340	3340	4
771080	80	128	340	4500	4
771085	85	153	365	4760	2
771090	90	153	365	7220	2
771095	95	165	378	7040	2
771100	100	165	378	9080	2
771105	105	173	380	9340	2

771 Single Ended Ring Spanner

PARD NO.	Size (inch)	blade	width	(g)	
7711.0	1	46	195	640	32
7711.1.16	1-1/16	46	195	600	32
7711.1.8	1-1/8	51	200	745	28
7711.3.16	1-3/16	51	200	705	28
7711.1.4	1-1/4	60	216	1040	20
7711.5.16	1-5/16	60	216	1020	20
7711.3.8	1-3/8	70	247	1360	14
7711.7.16	1-7/16	70	247	1320	14
7711.1.2	1-1/2	80	274	1860	10
7711.9.16	1-9/16	80	274	1800	10
7711.5.8	1-5/8	90.5	287	1800	10
7711.11.16	1-11/16	90.5	300	2120	8
7711.3.4	1-3/4	110	309	2340	6
7711.13.16	1-13/16	110	309	3500	6
7711.7.8	1-7/8	128	340	3340	4
7712.0	2	128	340	4500	4
7712.1.16	2-1/16	153	365	4760	2
7712.1.8	2-1/8	153	365	7220	2
7712.3.16	2-3/16	165	378	7040	2
7712.5.16	2-5/16	165	378	9080	2
7712.3.8	2-3/8	173	380	9340	2
7712.9.16	2-9/16	173	380	9340	2
7712.3.4	2-3/4	183	400	9800	2
7712.7.8	2-7/8	183	400	9800	2
7713.1.8	3-1/8	190	410	10100	2



775 Slugging Wrench

PARD NO.	Size (mm)	blade	width	(g)	
77522	22	163	242	10/80	
77524	24	163	242	10/80	
77525	25	163	242	10/80	
77526	26	180	340	10/60	
77527	27	180	340	10/60	
77528	28	180	340	10/60	
77530	30	190	416	5/40	
77532	32	190	416	5/40	
77533	33	190	416	5/40	
77534	34	205	518	5/40	
77535	35	205	518	5/40	
77536	36	205	518	5/40	
77538	38	205	518	4/30	
77540	40	230	735	4/30	
77541	41	230	735	4/30	
77542	42	230	735	4/30	
77543	43	230	735	4/30	
77544	44	240	930	2/20	
77545	45	240	930	2/20	
77546	46	240	930	2/20	
77547	47	240	930	2/20	
77548	48	255	1162	2/20	
77550	50	255	1162	2/20	
77552	52	255	1162	2/20	
77555	55	270	1362	2/20	
77560	60	280	1650	10	
77565	65	280	1650	10	
77570	70	335	3530	5	
77575	75	335	3530	5	
77580	80	365	5200	4	
77585	85	365	5200	4	
77590	90	400	7500	2	
77595	95	400	7500	2	
775100	100	435	10200	2	
775105	105	435	10200	2	

WRENCH

series

PARD®



776 Single Ring Wrench

PARD NO.	Size (mm)		 (g)	
77617	17	324	340	10 / 60
77619	19	324	340	10 / 60
77621	21	368	542	10 / 40
77622	22	368	542	10 / 40
77623	23	368	542	10 / 40
77324	24	380	678	10 / 40
77626	26	380	678	10 / 40
77627	27	393	762	6 / 30
77629	29	393	762	6 / 30
77630	30	409	870	4 / 20
77632	32	409	870	4 / 20
77634	34	465	1422	2 / 10
77635	35	465	1422	2 / 10
77636	36	465	1422	2 / 10
77638	38	490	1676	2 / 10
77641	41	490	1676	2 / 10
77643	43	519	2030	2 / 10
77644	44	519	2030	2 / 10
77646	46	519	2030	2 / 10
77648	48	594	3100	8
77650	50	594	3200	8
77655	55	594	3200	8
77658	58	616	4860	4
77660	60	616	4860	4
77665	65	616	4860	4

776N 1000V Insulated Single Ring Wrench

PARD NO.	Size (mm)		 (g)	
77607N	7	146	52	20/200
77608N	8	156	62	20/200
77610N	10	166	73	20/200
77612N	12	188	90	10/120
77614N	14	198	135	10/120

777 Single Open End Wrench

PARD NO.	Size (mm)		 (g)	
77717	17	162	100	10 / 120
77719	19	177	120	10 / 120
77720	20	177	120	10 / 120
77721	21	177	120	10 / 120
77722	22	197	177	10 / 100
77723	23	197	177	10 / 100
77724	24	197	177	10 / 100
77725	25	217	266	8 / 80
77726	26	217	266	8 / 80
77727	27	217	266	6 / 60
77728	28	243	352	6 / 60
77729	29	243	352	6 / 60
77730	30	243	352	4 / 40
77732	32	273	467	4 / 40
77733	33	273	467	4 / 40
77734	34	273	467	2 / 20
77735	35	299	700	2 / 20
77736	36	299	700	2 / 20
77738	38	299	700	2 / 20
77741	41	339	1015	2 / 20
77742	42	339	1015	2 / 20
77743	43	339	1015	2 / 20
77744	44	374	1230	2 / 20
77745	45	374	1230	2 / 20
77746	46	374	1230	2 / 20
77748	48	417	1810	10
77750	50	417	1810	10
77755	55	496	2720	10
77760	60	496	2720	8
77765	65	520	1850	8
77770	70	560	2300	8
77775	75	600	2800	8


777N 1000V Insulated Single Open End Wrench

PARD NO.	Size (mm)		 (g)	
77707N	7	90	19	20/200
77708N	8	100	26	20/200
77710N	10	114	42	20/200
77712N	12	135	64	20/200
77714N	14	154	100	20/200
77717N	17	190	144	10/120

NUT DRIVER

series

PARD®



774T Hex Nut Driver T Handle

PARD NO.	Size (mm)	blade	width	(g)	
77406T	6	215	200	220	10 / 100
77407T	7	215	200	220	10 / 100
77408T	8	235	200	279	10 / 100
77409T	9	235	200	285	10 / 100
77410T	10	260	200	294	10 / 80
77411T	11	260	200	318	10 / 60
77412T	12	260	200	432	10 / 40
77413T	13	260	200	346	10 / 40
77414T	14	260	200	422	10 / 40
77415T	15	285	200	480	10 / 40
77416T	16	285	200	510	10 / 40
77417T	17	285	200	542	10 / 40
77418T	18	285	200	600	10 / 40
77419T	19	315	200	620	10 / 40
77420T	20	315	200	650	10 / 40
77421T	21	315	200	715	10 / 20
77422T	22	315	200	715	10 / 20



784 Universal Long Nut Driver

PARD NO.	Size (mm)	blade	width	(g)	
78440006	6	400	165	210	20 / 80
78440007	7	400	165	210	20 / 80
78440008	8	400	165	210	20 / 80
78440009	9	400	175	240	20 / 80
78445010	10	450	175	392	20 / 80
78445011	11	450	175	394	20 / 80
78445012	12	450	175	395	20 / 80
78445013	13	450	175	425	20 / 80
78450014	14	500	180	425	20 / 80
78450015	15	500	180	430	20 / 80
78450016	16	500	180	430	20 / 80
78450017	17	500	180	430	20 / 80
78450018	18	500	180	820	15 / 60
78450019	19	500	220	880	15 / 60
78450022	22	500	220	900	15 / 60



805 Long T-Universal Joint

PARD NO.	Size (inch)	blade	width	(g)	
8052400	1/4	400	165	210	20 / 80
8053450	3/8	450	175	425	20 / 80
8054500	1/2	500	180	880	20 / 80



774T2 Hex Nut Driver T Handle

PARD NO.	Size (mm)	blade	width	(g)	
77406T2	6	215	200	220	10 / 100
77407T2	7	215	200	220	10 / 100
77408T2	8	235	200	279	10 / 100
77409T2	9	235	200	285	10 / 100
77410T2	10	260	200	294	10 / 80
77411T2	11	260	200	318	10 / 60
77412T2	12	260	200	432	10 / 40
77413T2	13	260	200	346	10 / 40
77414T2	14	260	200	422	10 / 40
77417T2	17	285	200	542	10 / 40
77419T2	19	315	200	620	10 / 40



785 T-Shape Universal Hex Key

PARD NO.	Size (mm)	blade	width	(g)	
78504	4	450	175	60	20 / 80
78505	5	450	175	69	20 / 80
78506	6	450	175	124	20 / 80
78508	8	450	175	219	20 / 80



807 Universal Spark Plug Nut Driver

PARD NO.	Size (mm)	blade	width	(g)	
80750016	16	500	175	850	15 / 60
80750020.8	20.8	500	180	950	15 / 60